

Sulfate is an important trigger of abscisic acid biosynthesis and stomata closure

Sundas Batool¹, Veli Vural Uslu¹, Hala Rajab¹, Cornelia Herschbach², Heinz Rennenberg², Dietmar Geiger³, Rainer Hedrich³, Rüdiger Hell¹ and Markus Wirtz¹

¹Centre for Organismal Studies (COS), Heidelberg University, Im Neuenheimer Feld 360, 69120 Heidelberg, Germany (E-mail: markus.wirtz@cos.uni-heidelberg.de); ²Institut für Pflanzenbiologie, Technische Universität Braunschweig, Humboldtstraße 1, 38106 Braunschweig, Germany; ³Julius-von-Sachs-Institut für Biowissenschaften, Molekulare Pflanzenphysiologie und Biophysik, 97082 Würzburg, Germany

Sulfur is an important macronutrient of all plants. Its uptake in form of sulfate from the soil is facilitated by plasma-lemma localized high-affinity sulfate transporters that are specifically regulated in response to internal demand and environmental challenges. Surprisingly, sulfate has been reported as the first metabolite whose concentration in the xylem is altered upon drought in the xylem. It was also shown to affect stomata closure by serving as substrate and activator of the quick anion channel 1 (Ernst et al. 2010; Malcheska et al. 2017). Furthermore, the external sulfate supply is known to impinge on ABA steady state level in Arabidopsis seedling (Cao et al. 2014).

In the current study, we uncover the molecular mechanism of sulfate-induced stomata closure and provide *bona fide* evidence for the role of sulfate in ABA biosynthesis: We show that feeding of physiologically relevant sulfate concentrations via the petiole trigger stomata closure by induction of plasma-lemma localized NADPH oxidases that produce reactive oxygen species (ROS). Since ROS production is a known response of stomata towards ABA stimulus, we tested if sulfate can promote stomata closure and ROS production in the ABA biosynthesis mutant, *aba3*, and the ABA insensitive mutant, *abi2*. Sulfate failed to induce stomata closure and production of ROS in both mutants. Furthermore, loss of the ABA-activated slow anion channel 1 (SLAC1) impaired sulfate-induced stomatal closure. Application of the ABAleon2;1 sensor, a FRET-based probe for non-invasive determination of ABA by live cell imaging, ultimately proved that sulfate application rapidly increases cytosolic ABA levels in guard cells. In view of the fact that the molybdenum cofactor sulfurylase ABA3 uses cysteine as substrate for activation of ABA biosynthesis (Bittner et al. 2001), we tested the ability of sulfate to close stomata of the *sir1-1* and the *serat tko* mutants, which are both impaired in cysteine biosynthesis. As expected, sulfate was unable to induce stomata closure and ROS production in these mutants. In agreement with a promoting role of cysteine in ABA synthesis, application of ABA or cysteine to *sir1-1* and *serat tko* induced ROS production and stomata closure. The latter results proved that ABA signaling is still functional in both cysteine synthesis depleted mutants. Intriguingly, guard-cell autonomous production of ABA by ABA3 was sufficient for sulfate-induced stomata closure. Taken together our results promote sulfate as a xylem-delivered root-to-shoot signal that upon early drought induces ABA production in guard cells resulting in stomata closure.

- Bittner, F., Oreb, M., and Mendel, R.R. (2001) ABA3 Is a molybdenum cofactor sulfurase required for activation of aldehyde oxidase and xanthine dehydrogenase in *Arabidopsis thaliana*. *J. Biol. Chem.* 276: 40381-40384.
- Cao, M.J., Wang, Z., Zhao, Q., Mao, J.L., Speiser, A., Wirtz, M., Hell, R., Zhu, J.K., and Xiang, C.B. (2014) Sulfate availability affects ABA levels and germination response to ABA and salt stress in *Arabidopsis thaliana*. *Plant J.* 77: 604-615.
- Ernst, L., Goodger, J.Q.D., Alvarez, S., Marsh, E.L., Berla, B., Lockhart, E., Jung, J., Li, P., Bohnert, H.J., and Schachtman, D.P. (2010) Sulphate as a xylem-borne chemical signal precedes the expression of ABA biosynthetic genes in maize roots. *J. Exp. Bot.* 61: 3395-3405.
- Malcheska, F., Ahmad, A., Batool, S., Müller, H.M., Ludwig-Müller, J., Kreuzwieser, J., Randewig, D., Hänsch, R., Mendel, R.R., Hell, R., Wirtz, M., Geiger, D., Ache, P., Hedrich, R., Herschbach, C., and Rennenberg, H. (2017) Drought enhanced xylem sap sulfate closes stomata by affecting ALMT12 and guard cell ABA synthesis. *Plant Physiol.* in press.

Bearbeitet von/ Compiled by:

Luit J. De Kok², Silvia Haneklaus¹, Ewald Schnug¹

**25th International Symposium of the Scientific
Centre for Fertilizers “Significance of Sulfur in
High-Input Cropping Systems”
Groningen (Netherlands), September 5-8, 2017**

¹Julius Kühn-Institut (JKI), Bundesforschungsinstitut für Kulturpflanzen
Institut für Pflanzenbau und Bodenkunde

²University of Groningen
Faculty of Science and Engineering

Berichte aus dem Julius Kühn-Institut

191



Kontaktadresse/ Contact

Dr. Silvia Haneklaus
Federal Research Centre for Cultivated Plants
Institute for Crop and Soil Science
Bundesallee 50
38116 Braunschweig
Germany

Telefon +49 (0) 531 596 2121
Telefax +49 (0) 531 596 2199

Wir unterstützen den offenen Zugang zu wissenschaftlichem Wissen.
Die Berichte aus dem Julius Kühn-Institut erscheinen daher als OPEN ACCESS-Zeitschrift.
Alle Ausgaben stehen kostenfrei im Internet zur Verfügung:
<http://www.julius-kuehn.de> Bereich Veröffentlichungen – Berichte.

We advocate open access to scientific knowledge. Reports from the Julius Kühn Institute are therefore published as open access journal. All issues are available free of charge under <http://www.julius-kuehn.de> (see Publications – Reports).

Herausgeber / Editor

Julius Kühn-Institut, Bundesforschungsinstitut für Kulturpflanzen, Braunschweig, Deutschland
Julius Kühn Institute, Federal Research Centre for Cultivated Plants, Braunschweig, Germany

Vertrieb

Saphir Verlag, Gutsstraße 15, 38551 Ribbesbüttel
Telefon +49 (0)5374 6576
Telefax +49 (0)5374 6577

ISSN 1866-590X

DOI 10.5073/berjki.2017.191.000



Dieses Werk ist lizenziert unter einer [Creative Commons – Namensnennung – Weitergabe unter gleichen Bedingungen – 4.0 Lizenz](https://creativecommons.org/licenses/by-sa/4.0/).
This work is licensed under a [Creative Commons – Attribution – ShareAlike – 4.0 license](https://creativecommons.org/licenses/by-sa/4.0/).