

**BIBLIOGRAPHY OF FRUIT FLY LITERATURE (1977 - 1983)**

**= A review of recent publications =**

Edited by

Prof. H. Zwölfer, University of Bayreuth, F.R.G.

## Foreword

This publication on fruit fly bibliography has been compiled from information provided by specialists participating in the international fruit fly information pool operated by the IOBC/WPRS Working Group "Fruit-flies of Economic Importance".

Prof. H. Zwölfer and his staff at the University of Bayreuth agreed to act as coordinator of this important document that covers the most recent fruit fly literature (1977-1983).

This bibliography is a follow-up document of two earlier fruit fly bibliographies established for Rhagoletis cerasi L. and Dacus oleae Gmel., respectively

Haisch, A., Boller, E., Russ, K., Vallo, V., and Fimiani, P., 1978 - Bibliography of Rhagoletis cerasi L. (1971-1976) - WPRS Bulletin 1978/I/3, 43 pp.

Delrio, G., 1979 - Dacus oleae Gmel.: Bibliografia 1966-1979 - CNR Programma finalizzato "Fitofarmaci e fitoregolatori", Firenze, 46 pp.

A total of 447 titles, concerning 49 principal fruit fly species, were obtained till June 30, 1984. Code numbers are added to each title to establish a subject index.

The publication reports in addition to the references, the list of fruit fly species, and a subject index including taxonomy and systematics, morphology, physiology, behaviour, life history, ecology, genetics and evolution, methodologies and techniques, management.

It is a pleasure, as convenor of the IOBC/WPRS Working Group and on behalf of all participants, to express the most grateful appreciation and sincere thanks to the coordinator and to all specialist contributors for the realization of this valuable and very useful undertaking.

R. Cavalloro, Convenor  
Working Group  
"Fruit-flies of Economic Importance"

List of fruit fly species

*Acanthiophilus helianthi*: 219

*Actionoptera*: 212

*Anastrepha* spp.: 26, 140, 249, 250, 252, 273, 290

*Anastrepha fraterculus*: 20, 77, 251, 253, 254, 275, 333,  
387, 398

*Anastrepha suspensa*: 318, 368, 370, 373, 374, 376, 377, 378,  
379, 380

*Bacus zonatus*: 172

*Ceratitidis* spp.: 26, 140

*Ceratitidis capitata*: 2, 3, 4, 5, 8, 9, 10, 11, 12, 15, 16, 17,  
18, 19, 23, 24, 31, 33, 40, 43, 45, 46, 47, 48,  
53, 54, 64, 65, 66, 70, 74, 77, 80, 81, 83, 85,  
88, 89, 93, 94, 95, 120, 121, 123, 145, 153, 154,  
155, 156, 159, 160, 168, 170, 210, 238, 240, 249,  
250, 255, 271, 274, 277, 278, 279, 280, 281, 282,  
283, 284, 285, 286, 287, 288, 307, 308, 312, 324,  
328, 335, 336, 337, 356, 357, 360, 361, 362, 363,  
365, 366, 367, 377, 387, 395, 397, 398, 416, 417,  
426, 427, 429

*Carpomyia vesuviana*: 172

*Chenacidiella shiraki*: 213

*Chetostoma completum*: 219

*Dacus* spp.: 26, 140, 413

*Dacus aquilonis*: 134, 135

*Dacus cucumis*: 129

*Dacus cucurbitae*: 12, 151, 152, 199, 200, 201, 202, 204, 205,  
207, 209, 268, 272, 289, 303, 305, 306, 365, 368,  
381, 403, 414, 415

*Dacus dorsalis*: 12, 196, 197, 198, 199, 202, 203, 206, 208, 244,  
245, 246, 256, 265, 266, 267, 268, 272, 304, 359,  
365, 368, 389, 390, 391, 392, 402, 412, 414, 415,  
419, 420, 421

- Dacus expandens*: 203
- Dacus fabricius*: 193
- Dacus frauenfeldi*: 415
- Dacus jarvisi*: 132, 134, 138
- Dacus neohumeralis*: 21, 145
- Dacus oleae*: 2, 38, 39, 55, 79, 82, 83, 84, 86, 87, 90, 91, 92, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 124, 126, 139, 144, 146, 147, 148, 149, 150, 157, 161, 162, 163, 164, 165, 166, 167, 168, 169, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 224, 225, 226, 227, 228, 229, 230, 231, 232, 238, 240, 241, 243, 257, 258, 259, 260, 261, 262, 263, 264, 269, 270, 296, 297, 298, 299, 300, 301, 302, 309, 334, 335, 349, 354, 383, 388, 393, 394, 399, 400, 401, 410, 411, 422, 423, 424, 425
- Dacus opiliae*: 97, 130, 131, 132, 133, 134, 135, 137
- Dacus pedestris*: 412
- Dacus* sp.: 1
- Dacus suctellatus*: 199
- Dacus tau*: 415
- Dacus tenuifasciata*: 131, 135
- Dacus tryoni*: 21, 138, 141, 142, 143, 145, 158
- Dacus umbrosus*: 414
- Paraceratitella eurycephala*: 136
- Paratridacus expandens*: 199
- Procecidochoares utilis*: 216, 217
- Pterandrus rosa*: 15, 16, 17, 18, 19, 336, 337
- Rhagoletis* spp.: 26, 42, 140
- Rhagoletis basiola*: 14
- Rhagoletis berberidis*: 41

- Rhagoletis cerasi: 2, 28, 29, 30, 32, 34, 36, 37, 41, 122,  
125, 127, 128, 168, 173, 233, 234, 235, 236,  
237, 238, 239, 335, 350, 351, 352, 353, 355,  
404, 405, 406, 407, 408, 409, 428
- Rhagoletis fausta: 315
- Rhagoletis meigeni: 41
- Rhagoletis mendax: 325, 385, 386, 418
- Rhagoletis pomonella: 22, 75, 76, 118, 119, 291, 292, 293,  
294, 295, 314, 315, 319, 326, 330, 332, 338, 339,  
340, 341, 342, 343, 344, 345, 346, 347, 348, 371,  
384
- Robertsonomyia: 194
- Sphenella sinensis: 214
- Strumeta persignata: 187
- Tephritidae: 27, 35, 431, 432
- Tephritis conura: 382
- Tephritis dilacerata: 310
- Urophora cardui: 311, 382, 430

Recent Literature on tephritids

1. Agarwal, M.L. u. Kapoor, V.C. 1983: Two new species of the genus Dacus Fab. (Diptera: Tephritidae) from India. J.Ent. Res., 7(2): 169 - 172 (1)
2. Agee, H.R., Boller, E.F., Remund, u. Davis, J.C. u. Chambers D.L. 1982: Spectral sensitivities and visual attractant studies on the Mediterranean fruit fly, Ceratitidis capitata (Wiedemann), olive fly, Dacus oleae (Gmelin), and the European cherry fruit fly Rhagoletis cerasiL. (Diptera: Tephritis). Z. ang. Ent. 93: 403 - 412. (Ceratitidis capitata, Dacus oleae, Rhagoletis cerasi, 3,4)
3. Akman, K. u. Zümreoglu, A. 1978: Effects of gamma radiation on the immature pupae of the Mediterranean fruit fly, Ceratitidis capitata (Wied.) (Dipt. Tephritidae): Dose response of laboratory reared and wild strains. Türk. Bit. Kor. Derg. 2(1): 37 - 42 (4,9)
4. Amin, A.H., Wakid, A.M., Shoukry, A. u. Fadel, A.M. 1982: Factors Influencing Sterility and Vitality of the Mediterranean Fruit fly, Ceratitidis capitata. II. Dose Fractionation and Temperature Before Irradiation. Isotope and Rad. Res., 14: 137 - 145 (Ceratitidis capitata 8)
5. Andres, M.P. u. Muniz, M. 1983: Desarrollo de una nueva dieta larvaria de Ceratitidis capitata (Wied.) Bol. Serv. Plasas. 9(3) (Ceratitidis capitata 3,4,7) in press
6. Argentesi, F., Cavalloro, R. u. Di Cola, G. 1983: A new theoretical approach to the control and management of fruit-fly systems. Fruit flies of Economic Importance: Proceedings of CEC/IOBC Int. Symposium, Athens 16-19 November 1982, 297 - 306 (8)
7. Argentesi, f., Cavalloro, R. u. Di Cola, G. 1983: Populations' dynamics parameter estimation in fruit-flies pest systems. Fruit flies of Economic Importance: Proceedings of CEC/IOBC Int. Symposium, Athens 16-19 November 1982, 307 - 314 (8)
8. Arita, L.H., Kaneshiro, K.Y. u. Ohta, A.T. 1981: Male-mimicking behavior in females of the Mediterranean fruit fly. Genetics 97 (1):3. (Ceratitidis capitata 4,9)
9. Arita, L.H. 1982: Field observations of the Mediterranean fruit fly and the Oriental fruit fly in the National Park. Proceedings 4th Conference in Natural Sciences. Hawaii Volcanoes National Park. 1-7. (Ceratitidis capitata 4,6).
10. Arita, L.H. 1982: Reproductive and sexual maturity of the Mediterranean fruit fly, Ceratitidis capitata (Wiedemann). Proc. Hawaii. Entomol. Soc. 24 (1): 25-29. (Ceratitidis capitata 6)
11. Arita, L.H. and Kaneshiro, K.Y. 1983: Pseudomale courtship behavior of the female Mediterranean fruitfly, Ceratitidis capitata (Wiedemann). Proc. Hawaii. Entomol. Soc. 24 (2,3): 205-210. (Ceratitidis capitata 3,4).
12. Armstrong, J.W., Mitchell, W.C. u. Farias, G.J. 1983: Resistance in Sharwil variety avocados at harvest maturity to infestation by three Hawaiian fruitfly species. Jour. Econ. Entom. 76(1): 119 - 121. (Dacus dorsalis, Dacus cucurbitae, Ceratitidis capitata 4,8)

13. Averill, A.L. and R.J. Prokopy 1980: Release of oviposition deterring pheromone by apple maggot flies. J. New York Entomol. Soc. 88: 34. (3)
14. Averill, A.L. and R.J. Prokopy 1981: Oviposition-detering fruit marking pheromone in Rhagoletis basiola. Florida Entomol. 64: 222 / 226. (4)
15. Averill, A.L. u. Prokopy, R.J. 1982: Oviposition-detering fruit marking pheromone in Rhagoletis zephyria. J. Gerogia Entomol. Soc. 17: 315 - 319. (3,4)
16. Barnes, B.N., Kotze, E.E. u. Jacobs, I. 1977: Fruit flies unlimited. Decid. Fruit Grow. 27: 180 - 185 (Ceratitidis capitata, Pterandrus rosa 7)
17. Barnes, B.N. 1979: Alternative larval media for mass-rearing the Natal and Mediterranean fruit flies. J. ent. Soc. sth Afr. 42: 55 - 56 (Ceratitidis capitata, Pterandrus rosa 7)
18. Barnes, B.N. 1979: no future for the fruit fly. Nuclear Active 20: 16 - 22 (Ceratitidis capitata, Pterandrus rosa 8)
19. Barnes, B.N. 1983: Fruit flies - Seasonal occurrence, control and monitoring on pome and stone fruits. Decid. Fruit Grow. 33: 139 - 146 (Ceratitidis capitata, Pterandrus rosa 5, 7, 8)
20. Barnes, B.N. 1983: A shipping container for dipteran pupae. J. ent. Soc. sth Afr. 46: 153 - 154 (Pterandrus rosa Ceratitidis capitata, other diptera 7)
21. Barros, M.D., Novaes, M. u. Malavasi, A. 1983: Estudos do comportamento de oviposicao de Anastrepha fraterculus em condicoes de laboratorio e naturais. An. Soc. Entomol. Brasil. (Anastrepha fraterculus 4)
22. Bellas, T. u. Fletcher, B.S. 1979: Identification of the major components in the secretion from the rectal pheromone glands of the Queensland fruit flies Dacus tryoni and Dacus neohumeralis (Diptera: Tephritidae). J. Chem. Ecol. 5: 795 - 803. (Dacus tryoni, Dacus neohumeralis 3,4)
23. Berlocher, S.H., Smith, D.C. 1983: Segregation and mapping of allozymes of the apple maggot fly. J. Hered. 74: 337 - 340 (Rhagoletis pomonella 9).
24. Bertazzoni, U., Scovassi, A.I. u. Cavalloro, R. 1980: Evidence of DNA polymerase alpha, beta and gamma in Ceratitidis capitata insect cells. Proceedings of Workshop on Approaches in Eukaryotic DNA Replication, Cargese 13-17 June 1980, 46 (3)
25. Bertazzoni, U., Cavalloro, R. u. Scovassi, A.I. 1981: Study of DNA polymerases alpha, beta and gamma in Ceratitidis capitata WIED. cells: Effect of ionizing radiations on Enzyme activities. Ecologia: Atti del 1. Congresso Nazionale della Societa Italiana di Ecologia, Salsomaggiore Terme 21-24 ottobre 1980, 522 (3)
26. Bertazzoni, U., Torsello, S., Cavalloro, R. u. Scovassi, A.I. 1983: New methods for the identification of the Structure of eukaryotic DNA polymerases. Cancer Risk and DNA Repair: Proceedings of Italian Group of DNA Repair and Italian Group of Photobiology Meeting, Rome 23 February 1983, 119 - 134 (3)
27. Boller, E.F. u. Chambers, D.L. (eds.) 1977. Quality Control - An Idea Book for Fruit Fly Workers. IOBC/WPRS

- fruit fly by mass trapping. Proc. Intern. Joint Meeting, CEC/FAO/IOBC on the Integrated control in olive groves. Pisa, Italy, April 3 - 6, 1984 In press (Dacus oleae 8)
40. Brumas, T., Liaropoulos, C., Katsoyannos, P., Yamvrias, C., Haniotakis, G. u. Strong, F. 1983: Control of the olive fruit fly in a pest management trial in olive culture. Proc. Intern. Symp. on fruit flies of economic importance. CEC/IOBC, Athens, Greece, Nov. 16 - 19, 1982. p. 584 - 592. (Dacus oleae 8)
  41. Burgos, R. u. Muniz, M. 1981: Efectos del 5-Fluoruracilo sobre el desarrollo larvario de Ceratitis capitata Graellsia. 37: 97 - 121. (Ceratitis capitata 3,4)
  42. Bush, G.L. u. Boller, E.F. 1977: The cytogenetics of the European cherry fruit fly species complex (Rhagoletis, Tephritidae). Ann. Ent. Soc. Am. 70: 316 - 318. (Rhagoletis cerasi, R. berberidis, R. meigeni, 1,9)
  43. Bush, G.L. u. Kitto, G.B. 1978: Application of Genetics to Insect Systematics and Analysis of Species Differences. Beltsville Symposium II; Biosystematics in Agriculture 89 - 118 (Rhagoletis sp. 1, 9, 10)
  44. Caamano, B. u. Muniz, M. 1980: Relacion entre mortalidad y actividad media molal de electrolitos en huevos de Ceratitis capitata (Wied.) Graellsia. 34: 237 - 248. (Ceratitis capitata 3,4)
  45. Cantarelli, M., Cavalloro, R. u. di Cola, G. 1984: Some statistical and numerical techniques applies to olive pest control. Proceedings of the International Joint Meeting CEC/FAO/IOBC Integrated Pest Control in Olive-Groves, Pisa 3-6 April 1984 (8)
  46. Carey, J.R. 1982: Demography and population dynamics of the Mediterranean fruit fly. Ecol. Modelling 16: 125 - 150. (Ceratitis capitata 5, 8.)
  47. Carey, J.R. 1983: A life table examination of growth rate and age structure trade-offs in Mediterranean fruit fly populations. Fruit Flies of Economic Importance, R. Cavalloro (ed.), pp. 315 - 320. (Ceratitis capitata 5.)
  48. Carey, J.R. 1984: Host-specific demographic studies of the Mediterranean fruit fly, Ceratitis capitata. Ecol. Entomol. (in press). (Ceratitis capitata 5, 6)
  49. Cavalloro, R. 1977: Measuring mating rhythmicity, duration and refraction in Ceratitis capitata. In: Quality control: An idea book for fruit fly workers, IOBC/WPRS Bulletin 5: 100 - 101 (4)
  50. Cavalloro, R. 1977: Some investigations on radio-entomology, with particular regard to the med-fly problem and storedproduct insect pest control. In: The Use of Ionizing radiation in Agriculture: Proceedings of CEC Workshop, Wageningen 22.-24. March 1976. Eur 5815 en, 363 - 378 (8)
  51. Cavalloro, R. 1978: Equilibri naturali, pesticidi e reali alternative di controllo biologico in agricoltura. Acqua e Aria, Milano, 3, 165 - 173
  52. Cavalloro, R. u. Delrio, G. 1978: Radiosensibilita' e induzione di sterilita' di Opius concolor siculus Mon. (Hymenoptera, Braconidae) Bollettino dell'Istituto di Entomologia Agraria e dell'Osservatorio di Fitopatologia. Palermo, 10: 121 - 136 (6)
  53. Cavalloro, R., Pozzi, G. u. Zaffaroni, G. 1980: Radio-

- Bulletin 1977/5. 168 pp. (Anastrepha spp., Ceratitidis, Dacus spp., Rhagoletis spp. 4,7)
28. Boller, E.F. u. Chambers, D.L. 1977. Quality control of mass-reared insects. In: Biological Control of Insects by Augmentation of Natural Enemies. Ridgeway, R.L. u. Vinson, S.B. (Eds.). Plenum Press, New York, p. 219 - 236. (Tephritidae, 4,7)
  29. Boller, E.F., Remund, U., Katsoyannos, B. u. Berchtold, W. 1977. Quality control in European cherry fruit fly: Evaluation of mating activity in laboratory and field-cage tests. Z. ang. Ent. 83: 182 - 201. (Rhagoletis cerasi, 4,7)
  30. Boller, E.F. 1978. Report of the working group on genetic control of Rhagoletis cerasi covering the period 1975-1977. In: Proceedings of the Third General Assembly. IOBC/WPRS Bulletin 1978/1: 84 - 90. (Rhagoletis cerasi, 9,8)
  31. Boller, E.F. u. Remund, U. 1980. Alternativen zur konventionellen chemischen Bekämpfung der Kirschenfliege, Rhagoletis cerasi L., in der Schweiz. Schweiz. Z. Obst-Weinbau 116: 320 - 329 (Rhagoletis cerasi, 8,10)
  32. Boller, E.F. 1981. The potential use of traps and steril insects against Ceratitidis capitata in Citrus groves. Proceedings of CEC meeting on 'Standardization of Biotechnical Methods of Integrated Pest Control in Citrus Orchards'. Gallizzi Ed. Sassari. p. 73 - 79 (Ceratitidis capitata, 8)
  33. Boller, E.F. 1981. Oviposition deterring pheromone of the European cherry fruit fly, Rhagoletis cerasi L.; Status of research and potential applications. S. 457 - 462 Management of Insect Pests with Semiochemicals. E.R. Mitchell (Ed.). Plenum Press N.Y. 514 pp. (Rhagoletis cerasi, 3,4,8,10)
  34. Boller, E.F., Katsoyannos, B.I., Remund, U. u. Chambers, D.L. 1981. Measuring monitoring and improving the quality of mass-reared Mediterranean fruit flies Ceratitidis capitata Wied. 1. The RAPID quality control system for early warning Z. ang. Ent. 92: 67 - 83 (Ceratitidis capitata, 4,7)
  35. Boller, E.F. u. Remund, U. 1981. Zum Stand alternativer Bekämpfungsverfahren gegen die Kirschenfliege, Rhagoletis cerasi L.: Abschluss der Forschungsperiode 1962-79 in der Schweiz. Mitt. dt. Ges. allg. ang. Ent. 2: 223 - 227 (Rhagoletis cerasi, 8,10)
  36. Boller, E.F. 1983 Biotechnical methods for the management of fruit fly populations Proc. IOCB/WPRS Symposium Athens 1982 p. 342 - 352 (Tephritidae, 8,10)
  37. Boller, E.F. u. Remund, U. 1983. Field feasibility study for the application of SIT in Rhagoletis cerasi L. in Northwest Switzerland (1976-1979) Proc. IOBC/WPRS Symposium Athens p. 366 - 370 (Rhagoletis cerasi, 8,7)
  38. Boller, E.F. u. Remund, U. 1983. Dix années d'utilisation de données sur les sommes de températures journalières pour la prévision des vols de Rhagoletis cerasi et d'Eupoecilia ambiguella au nord de la Suisse. Bull. OEPP 13: 209 - 212 (Rhagoletis cerasi, 7,8)
  39. Broumas, Th., Haniotakis, G., Liaropoulos, C. u. Yamvrias, C. 1984: Experiments on the control of the olive

- sensitivity and DNA content of an in vitro cell line of the mediterranean fruit fly. In: Invertebrate systems in vitro: Proceedings of the 5th International Conference on Invertebrate Tissue Culture, Rigi-Kaltbad 24.-27. April 1979, 79 - 86 (3)
54. Cavalloro, R. 1981: Establishment of continuously in vitro growing cell lines of med-fly (Ceratitis capitata Wied.) Revue Canadienne de Biologie, Montreal, 40 (2), 181 - 186 (3)
55. Cavalloro, R. u. Di Cola, G. 1981: Alcuni metodi matematici nel controllo di una popolazione di Ceratitis capitata WIED. In: Standardizzazione di metodologie biotecniche nella lotta integrata in agrumicoltura: Atti della Riunione Gruppo di Esperti CCE, San Giuliano (F) - Siniscola (I) 4-6 novembre 1980, 127 - 146 (8)
56. Cavalloro, R. u. Di Cola, G. 1981: Un modello di simulazione matematica nel controllo di una popolazione di Dacus oleae GMEL. Redia, Firenze, LXV, 1 - 8 (8)
57. Cavalloro, R. u. Prota, R. (eds.) 1981: Standardization of biotechnical methods of integrated pest control in citrus orchards. Proceedings of a Meeting of the E.C. Experts' Group, San Giuliano (F), - Siniscola (I) 4-6 november 1980 EUR 7342 EN-FR-IT, 206 pp. G. Gallizzi Publ., Sassari (8)
58. Cavalloro, R. 1982: La proteccion del olivo. Agricultura - Revista agropecuaria, Madrid, LI (605), 981 - 982 (8)
59. Cavalloro, R. 1982: Les actions de coordination de la recherche poursuivies par la commission des communautes europeennes dans le domaine de la protection integree des Cultures. In: Proceedings of the 4th IOBC General Assembly, Antibes 12-15 Octobre 1981, WPRS Bulletin V/3, 49 - 55 (8)
60. Cavalloro, R., Coppola, M. u. Pozzi, G. 1983: Med-fly Cell Line: Responce to irradiations with fast neutron and Gamma-rays. Revue Canadienne de Biologie Experimentale, Montreal, 42 (2), 109 - 115 (3)
61. Cavalloro, R. (ed.) 1983: Fruit flies of economic importance Proceedings of the CEC/IOBC International Symposium, Athens (GR) 16-19 November 1982, EUR 8364 EN, 642 pp. A.A. Balkema Publ., Rotterdam (10)
62. Cavalloro, R. u. Piavaux, A. (eds.) 1983: CEC programme on integrated and biological control - progress report 1979/1981 EUR 8273 EN, 348 pp., Commission of the European Communities Publ., Luxembourg
63. Cavalloro, R. u. Piavaux, A. (eds.) 1983: Entomophagous insects and biotechnologies against olive pests Proceedings of a Meeting of the E.C. Experts' Group, Chania (GR) 11-12 March 1982. EUR 8647 EN-FR, 154 pp. Commission of the European Communities Publ., Luxembourg (10)
64. Cavalloro, R. u. Prota, R. (eds.) 1983: Integrated control in citrus orchards: Sampling methodology and threshold for intervention against the principal phytophagous pests. Proceedings of a Meeting of the E.C. Experts' Group, Siniscola-Muravera (I) 20-22 October 1982 EUR 8404 EN-FR-IT, 64 pp., G. Gallizzi Publ. Sassari (8)
65. Cavalloro, R., Muniz, M. u. Pozzi, G. 1983: Comparative

- radiosensitivity of Med-fly cells and embryos. *Redia*. (*Ceratitidis capitata* 3,4) in press (3)
66. Cavalloro, R., Scovassi, A.I. u. Bertazzoni, U. 1983: Aspects of DNA synthesis in cells and embryos of med-fly (*Ceratitidis capitata* WIED.) In: Fruit flies of Economic Importance: Proceedings of CEC/IOBC Int. Symposium, Athens 16-19 November 1982, 212 - 218 (3)
  67. Cavalloro, R., Fozzi, G., Bertazzoni, U. u. Scovassi, A.I. 1984: Effect of Gamma-Irradiation and aphidicolin on the growth and DNA polymerases of eukaryotic invertebrate cells (*Ceratitidis capitata* WIED.) Proceedings of the 6th Int. Conference on Invertebrate Tissue Culture, St. Augustine 5-10 June 1983 in press (3)
  68. Cavalloro, R., De Nicola, M., Giudici, M., Castaldo, R., Giordano, S. u. Sorrentino, C. 1984: Submicroscopic structure of normal and irradiated med-fly cells. Proceedings of the 6th Int. Conference on Invertebrate Tissue Culture, St. Augustine 5-10 June 1983 in press (3)
  69. Cavalloro, R. 1984: Olive protection activities in the European Countries promoted by the commission of the European Communities. Proceedings of the Int. Joint Meeting CEC/FAO/IOBC Integrated Pest Control in Olive - Groves, Pisa 3-6 April 1984 in press (10)
  70. Cavalloro, R., Muniz Daza, M. u. Pozzi, G. 1984: Comparative radiosensitivity of med-fly cells and embryos. Proceedings on the 17th Int. Congress of Entomology, Hamburg 20-26 August 1984 in press (3)
  71. Chambers, D.L., Calkins, C.O., Boller, E.F., Ito, Y. u. Cunningham, R.T. 1983 Measuring, monitoring and improving the quality of mass-reared Mediterranean fruit flies, *Ceratitidis capitata* (Wied.). 2. Field tests for confirming and extending laboratory results. *Z. ang. Ent.* 95: 285 - 303 (*Ceratitidis capitata* 4,7)
  72. Chang, Tao-Hsing, u. Lee, W.Y. 1982: Uvitex CFZ as a Marker for the Sterile Oriental Fruit Fly. *Agri. Science* 30 (5-6): 305 - 308. (In Chinese with English summary).
  73. Cheng, M.L., Hacker, C.S., Pryor, S.C. Ferrell, R.E. u. Kitto, G.B. 1982: The ecological genetics of the *Culex pipiens* complex in North America. *Recent Developments in the Genetics of Insect Disease Vectors*, Stipes Publishing Company, Champaign, IL, 1982
  74. Chiu, Chao-Hon, Chang, T.H. u. Lee, W.Y. 1981: Attraction of the Oriental Fruit Fly to Methyl Eugenol Traps at Various Heights on the Orchards. *Agri. Science* 39(5-6): 188 - 189 (In Chinese).
  75. Contini, C., Delrio, G., Luciano, P. u. Ortu, S. 1978: Variazioni della popolazioni di *Ceratitidis capitata* Wied. e programmazione della lotta nella frutticoltura sarda. (*Ceratitidis capitata* 6,2) *Atti Giornate Fitopatologiche* vol. I: 223 - 230.
  76. Crnjar, R.M., R.J. Prokopy and V.G. Dethier 1978: Electrophysiological investigation of oviposition-detering pheromone receptors in *Rhagoletis pomonella*. *J. New York Entomol. Soc.* 86: 283 / 284. (3)
  77. Crnjar, R.M. and R.J. Prokopy 1982: Morphological and electrophysiological mapping of tarsal chemoreceptors of oviposition deterring pheromone in *Rhagoletis pomonella*. *J. Insect Phziol.* 22: 393 - 400. (3,4)

78. Cytrynowicz, M., Morgante, J.S. u. Souza, H.M.L. 1982: Visual responses of South American fruit flies Anastrepha fraterculus and Mediterranean fruit flies Ceratitidis capitata to colored rectangles and spheres. Environ. Entomol. 11: (Anastrepha fraterculus, Ceratitidis capitata 4,6,8)
79. Di Cola, G., Cavalloro, R. u. Brighetti, S. 1981: Un modello matematico per il controllo di una popolazione di insetti polivoltini in un ecosistema agricolo. Ecologia: Atti del 1. Congresso Nazionale della Societa Italiana di Ecologia, Salsomaggiore Terme 21-24 ottobre 1980, 229 - 235 (6)
80. Delrio, G. u. Cavalloro, R. 1977: Reperti su ciclo biologico e sulla dinamica di popolazione del Dacus oleae Gmelin in Liguria. Redia LX: 221 - 253 (Dacus oleae 6)
81. Delrio G. u. Prota, R. 1977: Osservazioni sulla dinamica delle popolazioni di Ceratitidis capitata Wied. in alcuni pescheti della Sardegna. (Ceratitidis capitata 6)
82. Delrio, G., Contini, C., Luciano, P. u. Prota, R. 1977: Osservazioni preliminari sulle popolazioni della mosca mediterranean della frutta (Ceratitidis capitata Wied.) in Sardegna. Semes Journees circum-mediterraneennes Phytiat. Phytopharm. Rabat. 15 - 20 Mai: 628 - 634. (Ceratitidis capitata 6)
83. Delrio, G., Luciano, P., Ortu, S. u. Prota, R. 1978: Variazioni delle popolazioni di Dacus oleae Gmelin e programmazione della lotta nell'olivicoltura sarda. (Dacus oleae 6,8) Atti Giornate Fitopatologiche vol. I: 269 - 276.
84. Delrio, G., Ortu, S. u. Prota, R. 1978: Fattori che influenzano l'attrazione di Dacus oleae Gmelin e Ceratitidis capitata Wied. alla trappola chemio e cromotropiche. Redia, Vol. LXII: 229 - 255. (Dacus oleae, Ceratitidis capitata 6)
85. Delrio, G. 1978: Fattori di regolazione delle popolazioni di Dacus oleae Gmelin nella Sardegna nord-occidentale. Notiz. Mal. Pianta 98/99: 27 - 45. (Dacus oleae 6)
86. Delrio, G., Cavalloro, R. 1979: Influenza dell'accoppiamento sulla recettivita sessuale e sull'ovideposizione in femmine di Ceratitidis capitata Wied. (Ceratitidis capitata 4) Entomologica XV: 127 - 143.
87. Delrio, G. 1979: Prove di lotta guidata contro il Dacus oleae Gmelin. Notiz. Mal. Pianta, 100: 183 - 231. (Dacus oleae 8)
88. Delrio, G. 1979: Dinamica e fattori di regolazione delle popolazioni di Dacus oleae Gmelin (Dip. Trypetidae) Mem. Is. Ital. Idrobiol. Suppl. 37: 125 - 134 (Dacus oleae 6)
89. Delrio, G., Ortu, S. u. Prota, R. 1980: Prospettive di lotta integrata nell'agrumicoltura sarda. Studi Sassari, Ann. Fa. Agr. Sassari (Ceratitidis capitata 6,8)
90. Delrio, G. u. Prota, R. 1981: Comparazione tra trappole cromotropiche e chemiotropiche per Ceratitidis capitata Wied. In "Standardizzazione di metodologie biotecniche nella lotta integrata agrumicoltura, Sassari: 87 -102 (Ceratitidis capitata 4,8)
91. Delrio, G. 1981: Tecniche di lotta antidacica e residui

- di insetticidi nelle olive e nell'olio. In: Atti 3. Simposio: Chimica degli antiparassitari modi di azione, Piacenza 26 - 27 febbraio: 113 - 119. (Dacus oleae 8)
92. Delrio, G. 1982: Esperienza di lotta integrata in olivicoltura in Sardegna. In: Proceedings of CEC meeting on "Etat d'Avancement des Travaux et Echange d'Informations sur les Problemes Poses par la Lutte integree en Oleiculture", Antibes, France, Nov. 1981: 73 - 85 (Dacus oleae 8)
93. Delrio, G., Economopoulos, A.P., Economopoulos, P.V., Haniotakis, G.E., Prota, R. 1983: Comparative field studies on food, sex and visual attractants for the olive fruit fly. International Symposium Proceedings on Fruit Fly of Economic Importance (1982): 465 - 472 (Dacus oleae 4,6,7)
94. Delrio, G. u. Zumreoglu, A. 1983: Attractability range and capture efficiency of medflies traps. Proceedings of CEC/IOBC Int. Symp. on Fruitflies of Economic Importance, Athens Nov. 1982: 445 - 450. (Ceratitis capitata (4))
95. De Mora, R. u. Muniz, M. 1982: Comportamiento reproductor de Ceratitis capitata (Wied.) ante el tratamiento con formaldehido y radiocion gamma. Graellsia. 38: 129 - 143. (Ceratitis capitata 3,4)
96. De Nicola, M., Aloj Totaro, E., Cavalloro, R. u. Giudici, G. 1984: The presence of lipofuscin formation in cell line of Ceratitis capitata WIED. Redia (3)
97. Drew, R.A.I., Hooper, G.H.S. u. Bateman, M.A. 1978: Economic fruit flies of the south pacific region. Pacific Insects 20, 4: 429 - 432. (10)
98. Drew, R.A.I. u. Hardy, D.E. 1981: Dacus (Bactrocera) opilliae, a new sibling species of the dorsalis complex of fruit flies from northern Australia (Diptera: Tephritidae) J. Aust. ent. Soc. 20: 131 - 137. (1)
99. Economopoulos, A.P. 1977: Gamma - ray sterilization of Dacus oleae (Gmelin). Effect of nitrogen on the Competitiveness of irradiated males. Z. ang. Entomol. 83: 86 - 95 (Dacus oleae 4,7,8)
100. Economopoulos, A.P. 1977: Controlling Dacus oleae by fluorescent yellow traps. Ent. exp. appl. 22: 183 - 190 (Dacus oleae 4,7,8)
101. Economopoulos A.P. 1977: Field dispersal studies with Dacus oleae. Quality Control, IOBC/WPRS Bulletin 5: 43 - 44 (Dacus oleae 4,6,7,10)
102. Economopoulos, A.P. 1977: Measuring mating propensity in Dacus oleae. Quality Control, IOBC/WPRS Bulletin 5: 98 - 99 (Dacus oleae 4,7,10)
103. Economopoulos, A.P. 1977: Egg production, sperm depletion and sexual competitiveness in Dacus oleae. Quality Control, IOBC/WPRS Bulletin 5: 119 - 120 (Dacus oleae 3,4,7,10)
104. Economopoulos, A.P. u. Prokopy, R.J. 1977: Testing response to host leaves in Dacus oleae. Quality Control, IOBC/WPRS Bulletin 5: 56 - 57 (Dacus oleae 4,7,10)
105. Economopoulos, A.P., Avtzis, N., Zervas, G., Tsitsipis, J., Haniotakis, G., Tsiropoulos, G. u. Manoukas, A. 1977: Experiments on the control of the olive fly, Dacus oleae GMEL. by the combined effect of insecticides and release

- of gamma sterilized insects. Z. ang. Entomol. 83: 201 - 215 (Dacus oleae 7,8)
106. Economopoulos, A.P. and R.J. Prokopy 1977: Testing responses to host leaves in Dacus oleae, Ibid. p. 56 - 57. (4)
107. Economopoulos, A.P., Haniotakis, G., Mathioudis, J., Missis, N. u. Kinigakis, P. 1978: Field dispersal of wild and artificially reared Dacus oleae. Z. ang. Entomol. 87: 101 - 108 (Dacus oleae 4)
108. Economopoulos, A.P. 1979: Attraction of Dacus oleae (Gmelin) (Diptera, Tephritidae) to odor and color traps. Z.ang. Entomol. 88: 90 - 97 (Dacus oleae 4,7)
109. Economopoulos, A.P. 1979: Prospects for the control of Dacus oleae (Gmelin) (Diptera, Tephritidae) by methods that do not involve insecticides, the sterile insects release technique and olfactory and visual traps, integrated approach. IOBC/WPRS Bulletin 2/1 (1979): 42 - 49 (Dacus oleae 8,10)
110. Economopoulos, A.P. 1979: Application of color traps for Dacus oleae control: Olive groves with different degree of isolation, tree-size and canopy density. IOBC/WPRS Symposium Proceedings on Integrated Control in Agriculture and Forestry (1979)L 552 - 559 (Dacus oleae 8)
111. Economopoulos, A.P. 1980: SIRM against the olive fruit fly: Differences between wild and lab-reared (normal or sterilized) insects. XVI Int. Congress Entomol. Symposium Proceedings on Fruit Fly Problems (1980): 17 - 26 (Dacus oleae 4,10)
112. Economopoulos, A.P. 1980: Current pest control methods in citrus plantations in Greece. Methods under development. CEC Meeting Proceedings on Standardization of Biotechnical Methods in Integrated Control of Citrus Pests (1980): 53 - 58 (Dacus oleae 10)
113. Economopoulos, A.P. 1981 Sterilization of the olive fruit fly by gamma and ~~neutron~~ irradiation. Control of the fly by release of sterile insects. Panhellenic Conference Proceedings on Peaceful Uses of Nuclear Energy (1979): E8, 1 - 8 (in Greek) (Dacus oleae 7,10)
114. Economopoulos, A.P. 1982: Present status of olive fruit fly control by yellow traps and SIRM in Greece. Trapping of the fly by yellow traps combined with odor lures. CEC Meeting Proceedings on Integrated Control in Oleiculture (1981): 86 - 95 (Dacus oleae 7,8,10)
115. Economopoulos, A.P., Zervas, G.A. 1982: The quality problem in olive flies produced for SIT experiments. IAEA Symposium Proceedings on SIT and the Use of Radiation in Genetic Insect Control (1981) SIT/PUB/ 592: 357 - 368 (Dacus oleae 4,10)
116. Economopoulos, A.P., Haniotakis, G., Michelakis, S., Tsiropoulos, G., Zervas, G., Tsitsipis, J., Manoukas, A., Kiritsakis, A., Kinigakis, P. 1982: Population studies with the olive fruit fly in Western Crete. Z. ang. Entomol. 93: 463 - 476 (Dacus oleae 4,5,6,7)
117. Economopoulos, A.P., Loukas, A.G. 1983: Selection at the alcohol dehydrogenase locus of the olive fruit fly under laboratory rearing: Effect of larval diet and colony temperature. International Symposium Proceedings on Fruit Flies of Economic Importance (1982): 178 - 181

- (Dacus oleae 9)
118. Economopoulos, A.P., Papadopoulos, A. 1983: Wild olive fruit flies caught on sticky traps with odor, color and combination of the two attractants. Redia LXVI: in press (Dacus oleae 4,7)
  119. Fein, B.L., Reissig, W.H. u. Roelofs, W.L. 1978: Attraction of apple maggot Rhagoletis pomonella (Walsh) (Dipt.: Tephritidae) femals to apple volatiles in wind tunnel bioassays. JNY Entomol. Soc. 86: 286. (Rhagoletis pomonella 4)
  120. Fein, B.L., Reissig, W.H. u. Roelofs, W.L. 1982: Identification of apple volatiles attractive to apple maggot flies, Rhagoletis pomonella. J. Chem. Ecol. 8: 1473 - 1487. (Rhagoletis pomonella 4)
  121. Fimiani, P. 1977: La Mouche mediterraneenne des fruits dans le cadre de la lutte integree sur Pecher. OILB Reun. Lutte int. Pecher. Verone (Italie) (Ciclost.) (Ceratitidis capitata 8)
  122. Fimiani, P. 1977: Fertilita delle uova di Ceratitidis capitata Wied. (Diptera: Tephritidae). Boll. Lab. Ent. Agr. "F. Silvestri" 34: 150 - 163 (Ceratitidis capitata 4,6)
  123. Fimiani, P., Monaco, R., Barbagallo, S., Frilli, F. 1978: Due anni di osservazioni bioecologiche sulla Rhagoletis cerasi L. in differenti regioni italiane. Boll. Lab. Ent. Agr. "F. Silvestri" 35: 49 - 56 (Rhagoletis cerasi 10)
  124. Fimiani, P. 1979: Spostamenti e dispersione di adulti di Mosca della frutta (Ceratitidis capitata Wied.) nell'areale flegreo. Boll. Lab. Ent. Agr. "F. Silvestri" 36: 275 - 284 (Ceratitidis capitata 4)
  125. Fimiani, P. 1981: Aspetti fenologici e biologici negli insetti dell'isola di Vivara. Vivara Oasi di Protezione naturale. Regione Campania pp. 182: 51 - 68 (Dacus oleae 6)
  126. Fimiani, P., Frilli, F., Inserra, S., Monaco, R., Sabatino, A. 1981: Ricerche coordinate su aspetti bioecologici della Rhagoletis cerasi L. in Italia. Boll. Lab. Ent. Agr. "F. Silvestri" 38: 159 - 211 (Rhagoletis cerasi 4,5,6)
  127. Fimiani, P. 1981: Aspetti biologici del Dacus oleae (Gmel) in Campania. Frust. Ent. N.S. 4: 93 - 97 (Dacus oleae 4,6,7)
  128. Fimiani, P. 1982: Multilarval infestation by Rhagoletis cerasi L. (Diptera, Trypetidae) in Cherry Fruit. Proc. CEC/ IOBC Int. Symp. Fruit Flies Econ. Imp. Athens (Greece): 52 - 59 (Rhagoletis cerasi 4,6,7,)
  129. Fimiani, P. 1982: Larval infestation by Rhagoletis cerasi L. and other insects on sour Black Cherry fruits in Greece. Proc. CEC/IOBC Int. Symp. Fruit Flies Econ. Imp. Athens (Greece): 60 - 61 (Rhagoletis cerasi 4,6,7)
  130. Fitt, G.P. 1980: Recent records of Dacus (Austrodacus) cucumis French from the Northern Territory. J. Aust. Ent. Soc. 19: 240 (Dacus cucumis, 6)
  131. Fitt, G.P. 1981: The Ecology of Northern Australian Dacinae. I. Host phenology and utilization of Opilia amentacea Roxb. (Opiliaceae) by Dacus (Bactrocera) opiliae. (6)
  132. Fitt, G.P. 1981: The Ecology of Northern Australian

- Dacinae. II. Seasonal population fluctuations of Dacus opiliae and D. tenuifascia, and their relationship to host phenology and climatic factors. Aust. J. Zool. 29: 885 - 894 (Dacus opiliae, D. tenuifascia, 4, 6, 7)
133. Fitt, G.P. 1981: Pupal survival of two Northern Australian Tephritid species and its relationship to soil conditions. J. Aust. Ent. Soc. 20: 139 - 144. (Dacus opiliae, D. jarvisi, 6)
134. Fitt, G.P. 1981: The influence of age, nutrition and time of day on the responsiveness of male Dacus opiliae to the synthetic lure, methyl eugenol. Ent. exp. a. appl. 30: 83 - 90 (Dacus opiliae, 3,4,7)
135. Fitt, G.P. 1981: Inter and Intraspecific Response to Sex Pheromones in laboratory bioassays by females of three species of Tephritid fruit flies from Northern Australia. Ent. exp. u. appl. 30: 40 - 44. (Dacus opiliae, D. aquilonis, D. jarvisi, 3,4)
136. Fitt, G.P. 1981: Responses by Female Dacinae (Diptera: Tephritidae) to 'Male' lures and their relationship to patterns of mating behaviour and pheromone response Ent. exp. a. appl. 29: 87 - 97 (Dacus opiliae, D. aquilonis, D. tenuifascia, 3,4)
137. Fitt, G.P. 1981: Observations on the biology and behaviour of Paraceratitella eurvcephala (Diptera: Tephritidae) in Northern Australia. J. Aust. Ent. Soc. 20: 1 - 7 (Paraceratitella eurvcephala, 4,6)
138. Fitt, G.P. 1983: The influence of seasonal climatic factors on the development of the methyl eugenol response in male Dacus opiliae. Ent. exp. a. appl. 33: 171 - 178 (Dacus opiliae, 4,6,7)
139. Fitt, G.P. 1984: Oviposition behaviour of two tephritid fruit flies, Dacus tryoni and Dacus jarvisi, as influenced by the presence of larvae in the host fruit Oecologia (in press). (Dacus tryoni, D. jarvisi, 4,6,9)
140. Fletcher, B.S. u. Zervas, G. 1977: Acclimation of different strains of the olive fly, Dacus oleae, to low temperatures. J. Insect Physiol. 23: 649 - 653. (Dacus oleae 3,6)
141. Fletcher, B.S. 1977: Behavioural responses of diptera to pheromones, allomones and kairomones. In Chemical Control of Insect Behaviour: Theory and Application. Eds. H.H. Shorey and J.J. McKelvey jr.: Wiley, New York. 129 - 147. (Dacus, Rhagoletis, Ceratitis and Anastrepha spp. B 4)
142. Fletcher, B.S. 1977: Testing sex pheromone in Dacus tryoni. In Quality Control: An Idea Book for Fruit Fly Workers. Eds. E.F. Boller and D.L. Chambers. Bulletin Int. Org. Biol. Cont. of Noxious Animals and Plants. 59 - 60. (Dacus tryoni 3,7)
143. Fletcher, B.S. 1977: Measuring mating parameters in Dacus tryoni. In Quality Control: An Idea Book for Fruit Fly Workers. Eds. E.F. Boller and D.L. Chambers. Bull. Int. Org. Biol. cont. of Noxious Animal and Plants. 61 - 62. (Dacus tryoni 4,7)
144. Fletcher, B.S. 1979: Over-wintering survival of the Queensland fruit fly, Dacus tryoni, under natural conditions. Aust. J. Zool. 27: 403 - 411. (Dacus trvoni 4,5,6)

145. Fletcher, B.S. 1979: Definition of a methodology for markrelease recapture studies with Dacus oleae (Gmel). Working paper No. 2 In Report of 1st Session of the Olive Protection Sub-Network, Chania, Crete, 2 - 6 Oct., 1978. F.A.O. 2pp. (Dacus oleae 7)
146. Fletcher, B.S., u. Bateman, M.A. 1983: Combating the fruit fly problems in Australia, the current situation and future prospects. Proc. Int. Symp. Fruit Flies Econ. Imp. Athens. Ed. R. Cavalloro. A.A Balkema: Rotterdam. 555 - 563. (Dacus tryoni, Dacus neohumeralis, Ceratitis capitata 8)
147. Fletcher, B.S., Pappas, S. u. Kapatos, E. 1978: Changes in the ovaries of olive flies Dacus oleae (Gmelin) during the summer and their relationship to temperature, humidity and fruit availability. Ecol. Ent. 3: 99 - 107. (Dacus oleae 3,6)
148. Fletcher, B.S., Kapatos, E. u. Southwood, T.R.E. 1981: A modification of the Lincoln Index for estimating the population densities of mobile insects. Ecol. Ent. 6: 397 - 400 (Dacus oleae 7)
149. Fletcher, B.S. u. Kapatos, E.T. 1981: Dispersal of the olive fly, Dacus oleae, during the summer period on Corfu. Ent. Exp. a. appl. 29: 1 - 8 (Dacus oleae 4)
150. Fletcher, B.S. u. Kapatos, E.T. 1982: An evaluation of different temperature development rate models for predicting the phenology of the olive fly Dacus oleae. Proc. CEC/IOBC Int. Symp. Fruit Flies Econ. Imp. (Athens) 321 - 329 (Dacus oleae 3,6)
151. Fletcher, B.S. u. Kapatos, E.T. 1983: The influence of temperature, diet and olive fruits on the maturation rates of female olive flies at different times of the year Ent. exp. a. appli. 33: 242 - 252 (Dacus oleae 3,6)
152. Furusawa, K., Sugimoto, T., Kinjo, S. u. Ichinche, F. 1982: On the bionomics of Opius fletcheri Silvestri (Hymenoptera; Braconidae), a parasite of Dacus cucurbitae Coq. (Diptera; Tephritidae). Res. Bull. Pl. Prot. Japan 18: 53 - 55. (In Japanese with English summary.) (Dacus cucurbitae 6)
153. Furusawa, K., Kinjo, S. u. Sugimoto, T. 1983: On the relation between the pupal weight and adult body size of the melon fly, Dacus cucurbitae Coq. Res. Bull. Pl. Prot. Japan 19: 93 - 95. (In Japanese with English summary.) (Dacus cucurbitae 2)
154. Galun, R. 1977: Quantification of feeding responses in: Quality control. Ed. Boller, E.F. u. Chambers, D.L. Bull. SROP. WFRS 1977/5 136 - 139 (Ceratitis capitata, 4)
155. Galun, R., Gothlif, S. u. Blondheim, S. 1979: The phagostimulatory effects of protein hydrolysates and their role in the control of medflies in: OILB Bull, SROP. WFRS 1979 2/1 81091 (Ceratitis capitata 3, 4)
156. Galun, R., Nitzan, Y., Blondheim, S. u. Gothlif, S. 1980: Responses of Mediterranean fruit fly Ceratitis capitata to amino acids in: Proc XVI Int. Cong. Ent. Sym. Fruit flies problems (Kyoto, Japan) 55063 (Ceratitis capitata 3,4)
157. Galun, R., Gothlif, S., Blondheim, D. u. Lachman, A. 1981: Protein and sugar hunger in the Mediterranean fruit fly (Ceratitis capatata) in "the determination of

- behaviour by chemical stimuli" Ed: Steiner, J.E. a. Gannrow, J.R. IRL London 245 - 252 (Ceratitis capitata 3,4)
158. Giannakakis, A. u. Fletcher, B.S. 1978: An improved bioassay for the sex pheromone of male Dacus tryoni, (Diptera: Tephritidae). Can. Ent. 110: 125 - 129. (Dacus oleae 3,4,7)
159. Giannakakis, A. u. Fletcher, B.S. 1981: Ablation studies related to the location of the sex pheromone receptors of the Queensland fruit fly, Dacus tryoni (Froggatt) (Diptera: Tephritidae). J. Aust. Ent. Soc. 20: 9 - 12. (Dacus tryoni 2,3,4)
160. Gil, A. u. Muniz, M. 1980: Nuevas transformaciones en experimentos biológicos basados en la respuesta cuantitativa. Bol. Serv. Plagas. 4(2): 89 - 229. (Ceratitis capitata 3,4)
161. Gil, A. u. Muniz, M. 1980: Introducción de la respuesta natural en el tratamiento estadístico del análisis cuantitativo. An. INIA/SER. GEN 6: 113 - 136. (Ceratitis capitata 3,4)
162. Girolami, V. 1978: Note demo-ecologiche su Dacus oleae Gmelin. Notiziario Malattie Piante, 98 - 99: 11 - 25. (Dacus oleae 4,6)
163. Girolami, V., Corsini, M. u. Pravisani, L. 1979: Sostanze inibitrici dell'ovideposizione del Dacus oleae (Gmelin) Proc. Meeting on Dacus oleae (Gmel.). Perugia June 1979 Not. Mal. Piante, 100: 335 - 338. (Dacus oleae 4, (Kairomones))
164. Girolami, V. 1979: Studi biologici e demoeologici sul Dacus oleae (Gmelin). I. Influenza dei fattori ambientali abiotici sull'adulto e sugli stadi preimaginali. Redia, LXII: 147 - 149. (Dacus oleae 6,)
165. Girolami, V., Vianello, A., Strapazzon, A., Ragazzi, E. u. Veronese, G. 1981: Ovipositional deterrents in Dacus oleae. Ent. exp. a. appl. 29: 177 - 188. (Dacus oleae-4, 6,7, (Kairomones))
166. Girolami, V., Strapazzon, A. u. De Gerloni, P.F. 1981: Stimulants de ponte de Dacus oleae (Gmelin). Proc. Meeting "Etat d'avancement des travaux et échange d'informations sur les problèmes posés par la lutte intégrée en oleiculture", Antibes, Novembre 1981, 1 - 13. (Internal Publication). (Dacus oleae 4 (Kairomones))
167. Girolami, V. u. Strapazzon, A. 1982: Attrattività della pianta ospite, stimolazione e regolazione della fecondità in Dacus oleae Gmelin. Frustula Entomologica, 4: 247 - 255. (Dacus oleae 4,5, (Kairomones))
168. Girolami, V. 1982: Olive chemical compounds influencing fecundity of Dacus oleae. Proc. 5th Symp. Insect-Plant relationships, 381 - 382. (Dacus oleae 4,6, (Kairomones))
169. Girolami, V. 1983: Fruit fly symbiosis and adult survival: general aspects. Proc. Int. Symp. on fruit-flies of economic importance, CEC-IOBC, Athens, Nov. 1982, 74 - 76. (Dacus oleae, Rhagoletis cerasi, Ceratitis capitata, 2,6, (symbiosis))
170. Girolami, V., Strapazzon, A. u. De Gerloni, P.F. 1983: Insect-plant relationships in olive flies: general aspects and new findings. Proc. Int. Symp. on fruit-flies of economic importance, CEC-IOBC Athens, Nov. 1982, 258 -

667. (Dacus oleae 4,6, (Kairomones))
171. Gothilf, S., Galun, R. 1982: Olfactometer and trap for evaluating attractants for the Mediterranean fruit fly Ceratitidis capitata, Phytoparasitica 10 79084 (Ceratitidis capitata 7)
172. Grewal, J.S., Kapoor, V.C. u. Agarwal, M.L. 1977: New records of three fruit flies from India. Ibid., 88: 262
173. Grewal, J.S. Relative incidence of infestation by two species of fruit flies, Carposmia vesuviana and Dacus zonatus (Teph.) on 'ber' in Punjab. Indian J. Ecol., 8(1): 123 - 125
174. Haisch, A., Boller, E.F., Russ, K., Vallo, V. u. Fimiani, P. 1978: European Cherry Fruit Fly, Synopsis and Bibliography. IOBC/WPRS Bulletin 1978 I/3, 43: pp. 1 - 49 (Rhagoletis cerasi, 10)
175. Halberg, E., van der Pers, J.N.C. u. Haniotakis, G. 1983: Funicular sensilla of Dacus oleae - Fine structural characteristics. Entomol. Exp. Appl. Submitted. (Dacus oleae 2)
176. Haniotakis, G. 1977: Male olive fly attraction to virgin females in the field. Ann. Zool. Ecol. Anim. 9(2): 273 - 276 (Dacus oleae 4)
177. Haniotakis, G. u. Catsoulakos, P. 1977: A new chemosterilant for Dacus oleae (Gmelin). Ann. Zool. Ecol. Anim. 9(1): 149 - 153. (Dacus oleae 7)
178. Haniotakis, G. u. Avtzis, M. 1977: Mortality of Dacus oleae (Gmelin) through infection with Pseudomonas putida. Ann. Zool. Ecol. Anim. 9(2): 299 - 311. (Dacus oleae 6)
179. Haniotakis, G., Mazomenos, B.E. u. Tumlinson, J.H. 1977: A sex attractant of the olive fruit fly, Dacus oleae and its biological activity under laboratory and field conditions. Entomologia Experimentalis et Applicata. 21: 81 - 87 (Dacus oleae 3)
180. Haniotakis, G. u. Voyatzoglou, A. 1978: Oviposition regulation in Dacus oleae by some olive fruit characters. entomol. Exp. a. Appl. 24: 187 - 192. (Dacus oleae 4)
181. Haniotakis, G. u. Skyrianos, G. 1981: Attraction of the olive fruit fly to pheromone, McPhail, and color traps. J. Econ. Entomol. 74(1): 53 - 60. (Dacus oleae 4)
182. Haniotakis, G. 1981: Field evaluation of the natural female pheromone of D. oleae Gmel. Environ. Entomol. 10(6): 832 - 834, (Dacus oleae 4)
183. Haniotakis, G. 1977: Testing sex pheromones in Dacus oleae p. 81 - 81 In: Boller, E.F. u. Chambers D.L. (Eds.) Quality Control An Idea Book for Fruit Fly Workers. International Organization for Biological Control, West Palearctic Regional Section 1977/5 162/ (Dacus oleae 7)
184. Haniotakis, G. 1979: Potential practical uses of the olive fruit fly sex attractant pheromones. International Symp. of IOBC/WPRS on Integrated Control in Agriculture and Forestry, Proceedings p. 472 - 476, Vienna, Oct. 8 - 12 1979. (Dacus oleae 8)
185. Haniotakis, G., Mazomenos, B.E. u. Hardakis, I.M. 1982: Monitoring and control of the olive fruit fly with pheromone traps. Proc. Meeting E.E.C. on "L'etat d'avancement des travaux et echanges d'informations sur les problemes poses par la lutte integree en Oleiculture" Antibes, France, Nov. 4 - 6, 1981. p. 46 - 60.

- (Dacus oleae 8)
186. Haniotakis, G. Kozyrakis, M. u. Hardakis, I. 1983: Applications of pheromones for the control of the olive fruit fly. Proc. Intern. Conference on Integrated Plant Protection. Budapest, Hungary. July 4 - 9. 1983 In press. (Dacus oleae 8)
187. Hardy, D.E. 1980: The Sophira group of fruit fly genera (Diptera: Tephritidae: Acanthonevrini) Pacific Insects 22, 1-2: 123 - 161. (10)
188. Hardy, D.E. 1981: Clarification of Status of Strumeta persignata Hering (Diptera: Tephritidae). Proceedings Hawaiian Entomol. Society, Vol. 23 3: 355 - 357. (1)
189. Hardy, D.E. 1981: On a collection of Euphranta (Diptera: Tephritidae) from west Malaysia. Colemania 1(2): 71 - 77. (10)
190. Hardy, D.E. 1982: The Dacini of Sulawesi (Diptera: Tephritidae) Treubia 28: 5, 173 - 241. (1,10)
191. Hardy, D.E. 1982: The Genus Schistopterus Becker (Schistopterinae: Tephritidae: Diptera) Proceedings, Hawaiian Entomol. Soc. Vol. 24, Nr. 1, 87 - 90. (1)
192. Hardy, D.E. 1982: The Epacrocercus Complex of genera in New Guinea (Diptera: Tephritidae: Acanthonevrini) Mem. Entomol. Soc. Wash. 10: 78 - 92. (1,10)
193. Hardy, D.E. 1982: Diptera in the university of Queensland determined by Francis Walker (Tephritidae and Platystomatidae) J. Aust. Soc. 21: 285 - 288. (10)
194. Hardy, D.E. 1983: The fruit flies of the genus Dacus fabricius of Java, Sumatra and Lombok, Indonesia (Diptera: Tephritidae) Treubia 29: 1, 1 - 45. (10)
195. Hardy, D.E. 1983: Robertsonvia an aberrant new genus of Phytalmiini from Papua New Guinea (Tephritidae: Diptera) Proc. Hawaiian Entomol. Soc. 24: 2 u. 3, 227 - 231. (1)&
196. Hardy, D.E. 1983: The fruit flies of the tribe Euphrantini of Indonesia, New Guinea and Adjacent Islands (Tephritidae: Diptera) Int. J. Entomology 25: 2 u. 3, 152 - 205. (10)
197. Hook, J.E., Yao, A. u. Lee, W.Y. 1980: The effect of competitiveness on the monosexual and the bisexual sterile flies to the normal oriental fruit fly, Dacus dorsalis (Hendel). Bull. Soc. Entomol. 15: 109 - 114.
198. Hwang, Shwu-Ming, Lee, Wen-Yung 1979: Comparison of the histological structure of the spermatheca between normal and irradiated oriental fruit fly, Dacus dorsalis. Bull. Inst. Zool., Academia Sinica 18: 59 - 70. (3)
199. Hwang, Shwu-Ming, Ho, K.K., Lee, W.Y. 1979: The studies of longevity and competitiveness of sperm in the spermatheca of the oriental fruit fly, Dacus dorsalis. (In Chinese) Plant Pro. Bull. 21: 391 - 396. (3,5)
200. Ichinohe, F., Hashimoto, T. u. Nakasone, S. 1977: Faunal survey of insects and spiders killed by protein hydrolysate insecticides bait for control of melon fly. Res. Bull. Pl. Prot. Japan 14: 67 - 70. (Dacus cucurbitae, D. dorsalis, D. suctellatus, Paratridacus expansens 4)
201. Ichinohe, F., Nakasone, S. u. Hashimoto, T. 1978: The optimal density for melon fly larvae in artificial medium. Res. Bull. Pl. Prot. Japan 15: 43 - 44. (In Japanese with English summary.) (Dacus cucurbitae 7)
202. Ichinohe, F., Tanaka, K., Miura, M. u. Ito, Y. 1978: An

- estimation of the winter population density of Dacus cucurbitae Coq., in southern Okinawa and effect of gamma radiation on the released male flies. Appl. Ent. Zool. 13: 316 - 318. (Dacus cucurbitae 6,7)
203. Ichinohe, F. u. Nakasone, S. 1979: Intrinsic rates of increase of laboratory populations of Dacus cucurbitae Coquillett and D. dorsalis Hendel (Diptera: Tephritidae). Jap. J. appl. Ent. Zool. 23: 42 - 42. (In Japanese.) (Dacus cucurbitae, D. dorsalis 6)
204. Ichinohe, F., Mizobuchi, M. u. Iha, K. 1980: Notes on the biology of Dacus expandens Walker (Diptera: Tephritidae), with morphological description of the immature stages of D. expandens and D. dorsalis Res. Bull. Pl. Prot. Japan 16: 35 - 40. (Dacus expandens, D. dorsalis 2,5)
205. Ichinohe, F., Tanaka, K., Ichikawa, K. u. Mizobuchi, M. 1983: Observations on attraction of the male melon flies Dacus cucurbitae to the blossoms of a common orchid Dendrobium superbium. Res. Bull. Pl. Prot. Japan 19: 1 - 6. (In Japanese with English summary.) (Dacus cucurbitae 4)
206. Imamura, T., Baba, K., Otawara, M. u. Harada, K. 1977: Control of oriental fruit fly in loquat with ethylene dibromide fumigation. Res. Bull. Pl. Prot. Japan 14: 80 - 81. (In Japanese.) (Dacus cucurbitae 8)
207. Inoue, T., Eguchi, H., Dozono, M. u. Sano, S. 1982: Studies on the attractant of the oriental fruit fly, Dacus dorsalis Hendel. Res. Bull. Pl. Prot. Japan 18: 7 - 9. (In Japanese with English summary.) (Dacus dorsalis 4)
208. Ishikawa, K. u. Sugimoto, T. 1980: A rust-eyes mutant of the melon fly. Res. Bull. Pl. Prot. Japan 16: 91 - 93. (Dacus cucurbitae 2,9)
209. Ishikawa, K., Ichinohe, F. u. Arai, S. 1981: Comparative studies of the properties in Ogasawara and Amami populations of the oriental fruit fly, Dacus dorsalis Hendel. Res. Bull. Pl. Prot. Japan 17: 19 - 24. (In Japanese with English summary.) (Dacus dorsalis 3,8,9)
210. Ishizuka, Y., Yoshida, T., Ide, T. u. Okumura, M. 1983: Studies on the development of the melon fly, Dacus cucurbitae Coq., in Amami island, Kagoshima Prefecture. Res. Bull. Pl. Prot. Japan 19L 7 - 11. (In Japanese with English summary.) (Dacus cucurbitae 5,7)
211. Kakihana, T. u. Oomura, K. 1983L Comparative attractancy of trimedlure and other twocompounds to the medfly. Res. Bull. Pl. Prot. Japan 19: 97 - 99. (In Japanese with English summary.) (Ceratitidis capitata 4,7)
212. Kapoor, V.C., Agarwal, M.L. u. Grewal, J.S. 1976: Identified collection of fruit flies in National Pusa Collection (Delhi). Bull. Ent., 17: 1 - 15 (1)
213. Kapoor, V.C. u. Grewal, J.S. 1977: A new species of Actionoptera Rondani together with distributional records of other fruit flies (Diptera: Tephritidae). Ent. News, USA, 88(5/6): 149 - 150 (1)
214. Kapoor, V.C. u. Agarwal, M.L. 1978: New record of the genus Chenacidiella Shiraki with description of its new species and distributional records of other fruit flies from India. Zool. J. Linn. Soc. London, 64: 197 - 200 (1)
215. Kapoor, V.C. u. Malla, Y.K. 1979: Three new records of

- fruit flies from India with a note on the wing venation of Sphenella sinensis (Diptera: Tephritidae). J. Nat. Hist. Mus. Nepal, 3(1): 147 - 149 (1)
216. Kapoor, V.C., Malla, Y.K. u. Kamla Ghosh 1979: On a collection of fruit flies from Kathmandu valley, Nepal. Orient. Ins., 13(1-2): 81 - 85 (10)
217. Kapoor, V.C. u. Malla, Y.K. 1978: Infestation of gall fruit fly, Procecidochares utilis (Stone) on crofton weed, Eupatorium adenophorum Sprengel in Kathmandu Nepal. Indian. J. Ent., 40(3): 337 - 339 (6)
218. Kapoor, V.C. u. Malla, Y.K. 1979: New record of Dimeromicrus vibida (Walker) (Hymenoptera: Torymidae), a parasite of the gall fly, Procecidochares utilis in Nepal. Bombay. nat. Hist. Soc., 75(3): 932 (6)
219. Kapoor, V.C., Hardy, D.E., Agarwal, M.L. u. Grewal, J.S. 1980: Fruit fly (Diptera: Tephritidae) Systematics of the Indian Subcontinent. Export India Publications
220. Kapoor, V.C. u. Agarwal, M.L. 1982: Acanthiophilus helianthi (Rossi) and Chetostoma completum Kapoor (Diptera: Tephritidae), serious pests of Centaurea cyanus Linn. (Compositae) in India. J. Ent. Res., 6(1): 102 - 104 (6)
221. Kapoor, V.C. u. Agarwal, M.L. 1983: Fruit flies and their natural enemies in India. In: Fruit flies of economic importance (Ed. Cavalloro), Balkema Publ., pp, 104 - 105 (6)
222. Kapoor, V.C. u. Agarwal, M.L. 1983: Fruit flies and their increasing host plants in India. In: Fruit flies of economic importance (ED. Cavalloro), Balkema Publ., pp. 252- 257 (6)
223. Kapoor, V.C. u. Malla, Y.K. 1977: Tephritids (Diptera: Tephritidae) of India and Nepal (A taxonomic review). J. Inst. Sci., Nepal, 1(2): 151 - 182 (1)
224. Kapoor, V.C., Agarwal, M.L. u Grewal, J.S. 1977: Zoogeography of Indian fruit flies (Diptera: Tephrr.) Orient. Ins., 11(4): 605 - 621 (6)
225. Kapatos, E., Pappas, S. u. McFadden, M.W. 1977: Ecological studies on the olive fly. Dacus oleae Gmel., in Corfu. II. Mortality of the immature stages in fruit. Boll. Lab. Ent. Agr. Portici, 34: 74 - 79 (Dacus oleae 6)
226. Kapatos, E., McFadden, M.W. u. Pappas, S. 1977: Sampling techniques and preparation of partial life tables for the olive fly, Dacus oleae Gmel. (Diptera: Trypetidae) in Corfu. Ecol. Ent. 2: 193 - 196 (Dacus oleae 6,7)
227. Kapatos, E., Fletcher, B.S., Pappas, S. u. Laudeho, Y. 1977: The release of Opius concolor and O. concolor var. siculus (Hym.: Braconidae) against the spring generation of Dacus oleae (Dipt.: Trypetidae) on Corfu. Entomophaga, 22: 265 - 270 (Dacus oleae 8)
228. Kapatos, E. u. Fletcher, B.S. 1982: Development of a pest management system for Dacus oleae in Corfu by utilizing ecological criteria. Proc. CEC/IOBC Int. Symp. Fruit Flies Econ. Imp. (Athens): 593 - 602 (Dacus oleae 8)
229. Kapatos, E. u. Fletcher, B.S. 1982: Development of a method for determining the time of air-treatment against the adults of Dacus oleae (Gmel.) (Diptera: Tephritidae). Agr. Res. 6: 403 - 416 (Dacus oleae 8) (in Greek with an

- english summary)
230. Kapatos, E. u. Fletcher, B.S. 1983: Seasonal changes in the efficiency of McPhail traps and a model for estimating olive fly densities from trap catches using temperature data. Ent. exp. a. appl. 33: 20 - 26 (Dacus oleae 4,6,7)
  231. Kapatos, E. u. Fletcher, B.S. 1983: An assessment of components of crop loss due to infestation by Dacus oleae, in Corfu. Entomologia Hellenica I: 7 - 16 (Dacus oleae 7,8)
  232. Kapatos, E. u. Fletcher, B.S. 1983: Establishment of economic injury levels and intervention thresholds for Dacus oleae infestation in Corfu. Ent. Hellenica 1. ? (Dacus oleae 6,7,8)
  233. Kapatos, E. u. Fletcher, B.S. 1983: Development of a pest management system for Dacus oleae in Corfu by utilizing ecological criteria. Proc. Int. Symp. Fruit Flies Econ. Imp. Athens, 1982. Ed. R. Cavalloro. A.A. Balkema: Rotterdam. 593 - 60220. (Dacus oleae 6,7,8)
  234. Katsoyannos, B.I. 1977: Testing the response of Rhagoletis cerasi to fruit-marking pheromone. In "Quality Control - An Idea Book for Fruit Fly Workers" Boller, E.F. a. Chambers, D.L. (eds.), Bull. IOBC/WPRS 1977/5: 71 - 72. (Rhagoletis cerasi 3,4,7)
  235. Katsoyannos, B.I. 1977: Field testing of sex pheromone in Rhagoletis cerasi. Ibid.: 85 - 86. (Rhagoletis cerasi 3,4,7)
  236. Katsoyannos, B.I., Boller, E.F. u. Remund, U. 1977: Beitrag zur Entwicklung von Methoden für die Massenzucht der Kirschenfliege, Rhagoletis cerasi L., auf künstlichen Substraten. Mitt. Schweiz. Ent. Ges. 50: 25 - 33. (Rhagoletis cerasi 7)
  237. Katsoyannos, B.I. 1979: Zum Reproduktions- und Wirtswahlverhalten der Kirschenfliege, Rhagoletis cerasi L. (Diptera: Tephritidae). Dissertation Nr. 6409 ETH Zürich, 278 pp. (Rhagoletis cerasi, 3,4,5)
  238. Katsoyannos, B.I., Boller, E.F. 1980: Second field application of the oviposition-detering pheromone of the European cherry fruit fly, Rhagoletis cerasi L. Z. ang. Ent. 89: 278 - 281 (Rhagoletis cerasi 3,4,8)
  239. Katsoyannos, B.I., Boller, E.F. u. Remund, U. 1980: A simple olfactometer for the investigation of sex pheromones and other olfactory attractants in fruit flies and lepidopterans. Z. ang. Ent. 90: 105 - 112 (Rhagoletis cerasi, Ceratitis capitata, Dacus oleae, 3,4,7)
  240. Katsoyannos, B.I. 1982: Male sex pheromone of Rhagoletis cerasi L. (Diptera: Tephritidae): Factors affecting release and response and its role in the mating behavior. Z. ang. Entomol. 94: 187 - 198. (Rhagoletis cerasi 3,4)
  241. Katsoyannos, B.I. 1983: Captures of Ceratitis capitata and Dacus oleae flies (Diptera: Tephritidae) by McPhail and Rebell color traps suspended on citrus, fig and olive trees on Chios, Greece. In "Fruit Flies of Economic Importance". R. Cavalloro (Ed.). Proc. CEC/IOBC Int. Symp. Athens, Nov. 1982, 451 - 456. (Ceratitis capitata, Dacus oleae 4,6,8)
  242. Katsoyannos, B.I. u. Pittara, I.S. 1983: Effect of size of artificial oviposition substrates and presence of

- natural host fruits on the selection of oviposition site by Dacus oleae. (Dacus oleae 3,4)
243. Kitto, G.B. 1983: Biological Control of Insect Pests. Medical and Other Applications 11: 197 - 211.
244. Lambrou, P.D. u. Tzanakakis, M.E. 1978: Inhibition of larval growth of Dacus oleae (Diptera: Tephritidae) by streptomycin. II. Effect of treating the parents. Ent. exp. appl. 23: 163 - 170. (Dacus oleae 3,8)
245. Lee, Wen-Yung (Lena) 1982: Formation of the Mitochondrial Derivatives of the Spermatozoa in the Oriental Fruit Fly, Dacus dorsalis. Chinese J. Entomol. 2(1): 14 - 22. (3)
246. Lee, L. Wen-Yung, Chang, K.H. 1979: Integrated plant protection in citrus-integrated control of the oriental fruit flies in Taiwan. Proceedings of International Organization for Biological Control of Noxious Animals and Plants. Wien, 8 - 12 Oct. 1979, pp. 568 - 571. (Dacus dorsalis, 8)
247. Lee, Lena, W.Y., Chang, T.H. u. Tseng, C.K. 1983: Sexual Selection and Mating Behavior of Normal and Irradiated Oriental Fruit Flies. Proceeding of the CEC/IOBC International Symposium Athens/Greece 16 - 19 Nov. 1982 "Fruit Flies of Economic Importance pp. 439 - 444. (Dacus dorsalis, 8)
248. Lee, L.W.Y., u. Chang, K.H. 1980: Fruit Fly Problems - The Taiwan Project. Proc. Sym. on Fruit Fly Probl., Japan pp. 85 - 97.
249. Lee, Wen-Yung (Lena) 1982: The use of Radiation on Agricultural Insect Pests Control in Taiwan. Chinese AEC Bull. 18: 7 - 12
250. Malavasi, A., Morgante, J.S. u. Zucchi, R.A. 1980: Biologie de "moscas-das-frutas" (Diptera, Tephritidae) I: Lista de hospedeiros e ocorrencia. Rev. bras. biol. 40: 9 - 16 (Anastrepha spp. Ceratitis capitata 6,8)
251. Malavasi, A. u. Morgante, J.S. 1980: Biologia de "moscas-das-frutas" (Diptera, Tephritidae) II: Indices de infestacao em diferentes hospedeiros e localidades. Rev. bras. biol. 40: 17 - 24 (Anastrepha spp. Ceratitis capitata 5,6,8)
252. Malavasi, A. u. Morgante, J.S. 1981: Adult and larval population fluctuation of Anastrepha fraterculus and its relationship to host availability. Environ. Entomol. 10: 275 - 278 (Anastrepha fraterculus 5,6)
253. Malavasi, A. u. Morgante, J.S. 1982: Genetic variation in natural population of Anastrepha (Diptera, Tephritidae). Rev. bras. Genet. 5: 263 - 278 (Anastrepha spp. 6,9)
254. Malavasi, A., Morgante, J.S. u. Prokopy, R.J. 1983: Distribution and activities of Anastrepha fraterculus flies on host and non-host trees in nature. Ann. Entomol. Soc. Am. 76: 286 - 292 (Anastrepha fraterculus 4,5,6)
255. Malavasi, A. Morgante, J.S. 1983: Population genetics of Anastrepha fraterculus (Diptera, Tephritidae) in different hosts - genetic differentiation and heterozygosity. Genetica 61: 207 - 211 (Anastrepha fraterculus 6,9)
256. Mangel, M., Plant, R. u. Carey, J. 1984: Rapid delimiting of pest infestations: a case study of the

- Mediterranean fruit fly. J. Appl. Ecol. (in press)  
Ceratitidis capitata 8)
257. Manoto, E. u. Mitchell, W.C.: 1976: Effect of temperature and fruit ripeness on the development of oriental fruit-fly larvae (Dacus dorsalis in avocado. Proc. Haw'n Entom. Soc. 22(2): 323 - 328. (Dacus dorsalis 4)
  258. Manoukas, A. 1977: Biological characteristics of Dacus oleae larval (Dipt., Tephrr.) reared in a basal diet with variable levels of ingredients. Ann. Zool. Ecol. anim. 2; (1): 141 - 148 (Dacus oleae 7,11)
  259. Manoukas, A. u. Mazomenos, B. 1977: Effect of anti-microbials upon eggs and larvae of Dacus oleae (Dipt., Tephrr.) and use of propionates as larval diet preservatives. Ann. Zool. Ecol. anim. 2 (2): 277 - 285 (Dacus oleae 3,7,11)
  260. Manoukas, A.G. u. Tsiropoulos, G.J. 1977: Effect of Density upon larval survival and pupal yield of the olive fruit fly. Ann. Entomol. Soc. Am. 70: 414 - 416 (Dacus oleae 6,7,11)
  261. Manoukas, A.G. u. Tsiropoulos, G.J. 1977: Nutrition and quality of mass produced olive flies. In QUALITY CONTROL, Eds. E.F. Boller and D.L. Chambers, IOBC/WPRS Bull. 5: 141. (Dacus oleae 7,11)
  262. Manoukas, A.G. u. Grimanis, A. 1978: Application of neutron activation analysis in determining the mineral contents the olive fruit fly and its food. ESNA Newsletter on the application of nuclear methods in Biology and Agriculture. 10: 11. (Dacus oleae 7,11)
  263. Mazomenos, B.E., Haniotakis, G., Spanakis, I., Ioannou, A. Kozirakis, E. 1983: Field evaluation on olive fruit fly pheromone traps with various dispensers and concentrations. Ibid. p. 506 - 512. (Dacus oleae 4)
  264. Mazomenos, B.E. u. Haniotakis, G. 1984: Male olive fruit fly attraction to the synthetic sex pheromone components in laboratory and field tests. J. Chem. Ecology Submitted. (Dacus oleae 4)
  265. McFadden, M.W., Kapatos, E.T., Pappas, S. u. Carvounis, G. 1977: Ecological studies on the olive fly, Dacus oleae Gmel., in Corfu. I. The yearly life cycle. Boll. Lab. Ent. Agr. Portici, 34: 43 - 50 (Dacus oleae 5,6)
  266. Metcalf, R.L., Mitchell, W.C., Fukuto, T.R. u. Metcalf, E.R. 1975: Attraction of the oriental fruitfly, Dacus dorsalis, to methyl eugenol and related olfactory stimulants. Proc. Natl. Acad. Sci. USA. vol. 72(7), 2501 - 2505, July, 1975. (Dacus dorsalis 4)
  267. Metcalf, R.L., Metcalf, E.R., Mitchell, W.C. u. Lee, L.W.Y. 1979: Evolution of olfactory receptor in oriental fruitfly Dacus dorsalis. Proc. Natl. Acad. Sci. USA. 76(4): 1561 - 1565. April 1979. (Dacus dorsalis 4)
  268. Metcalf, R.L., Metcalf, E.R. u. Mitchell, W.C. 1981: Molecular parameters and olfaction in the oriental fruitfly, Dacus dorsalis. Proc. Natl. Acad. Sci. USA. 78 (7): 4007 - 4010. July 1981. (Dacus dorsalis 4)
  269. Metcalf, R.L., Mitchell, W.C. u. Metcalf, E.R. 1983: Olfactory receptors in the melon fly, Dacus cucurbitae and the oriental fruit fly Dacus dorsalis. Proc. Natl. Acad. Sci. USA. 80: 3143 - 3147. June 1983. (Dacus cucurbitae, Dacus dorsalis 4,9)

270. Michelakis, S. 1978: Definition of a methodology for crop loss assessments concerning Dacus oleae (Gmel) Olea (FAO) Dec. 1978, 28 - 32 (Dacus oleae 8)
271. Michelakis, S. u. Neuenschwander, P. 1981: Etude des déplacements de la population imaginaire de Dacus oleae (Gmel)(Diptera: Tephritidae) en Crete, Grece. Acta Oecol/Oecol. applic., 2: 127 - 137. (Dacus oleae 6)
272. Mitchell, W.C., Andrew, C.O., Hagen, K.S., Hamilton, R.A., Harris, E.J., Maehler, K.L. u. Rhodes, R.H. 1977: The Mediterranean fruitfly and its economic impact on Central American countries and Panama. UC/AID Pest Mgmt. Multidisciplinary Team Report, CICP Berkeley, CA. 189 p. (Ceratitidis capitata 5,6,8)
273. Mitchell, W.C. 1980: Verification of the absence of oriental fruitfly and melon fly following an eradication program in the Mariana Islands. Proc. Haw'n Entom. Soc. 23(2): 239 - 243. (Dacus dorsalis, Dacus cucurbitae 6)
274. Morgante, J.S., Malavasi, A. u. Bush, G.L. 1980: Biochemical systematics and evolutionary relationships of some Neotropical Anastrepha. Ann. Entomol. Soc. Am. 73: 622 - 630 (Anastrepha spp. 1,6,9)
275. Morgante, J.S., Souza, H.M.L., Conti, E. u. Cytrynowicz, M. 1981: Allozymic variability in an introduced fruit fly pest Ceratitidis capitata (Wiedman, 1924) (Diptera Teph.) Rev. bras. Genet. 4: 183 - 191 (Ceratitidis capitata 9)
276. Morgante, J.S., Malavasi, A. u. Prokopy, R.J. 1983: Mating behavior of wild Anastrepha fraterculus flies (Dipt. Tephritidae) on a caged host tree. Fla. Entomologist 66: 234 - 241 (Anastrepha fraterculus 4)
277. Müller-Hohenstein, K. 1984: Zur räumlichen Differenzierung des Phytophagenkomplexes von Cirsium erisithales (Jacq.) Scop. Verh. 10. Int. Symposium Entomofaunistik Mitteleuropas (Budapest, 1983) Budapest, S. 123 - 127 (6)
278. Munguira, M.L., Salom, F. u. Muniz, M. 1983: Estudio morfológico del aparato reproductor femenino de Ceratitidis capitata (Wied.) Bol. Serv. Plagas. 9(2). Ceratitidis capitata 2)
279. Munguira, M.L., Muniz, M. u. Salom, F. 1983: Efectos del 5-Fluoruracilo en la evolución del ovario de Ceratitidis capitata (Wied.) Bol. Serv. Plagas. 9(3). Ceratitidis capitata 2,3,4)
280. Muniz, M. 1977: Técnica para la evaluación de puesta en Ceratitidis capitata (Wied.) Graellsia 31: 277 - 292. (Ceratitidis capitata 7)
281. Muniz, M. u. Rey, J.M. 1977: Comportamiento reproductor de Ceratitidis capitata (Wied.) ante el tratamiento con formaldehído en la dieta larvaria. Graellsia. 32: 279 - 308. (Ceratitidis capitata 3,4)
282. Muniz, M. 1980: Acción del formaldehído sobre sucesivas generaciones de Ceratitidis capitata (Wied.) Graellsia. 34: 223 - 235. (Ceratitidis capitata 3,4)
283. Muniz, M. u. Gil, A. 1981: Análisis de la respuesta cuantitativa: Acción conjunta de tóxicos en huevos de Ceratitidis capitata (Wied.) Graellsia. 35-36: 103 - 127. Ceratitidis capitata 3,4)
284. Muniz, M. u. De Mora, R. 1981: Fecundidad y fertilidad

- de Ceratitidis capitata (Wied.) bajo la accion de dosis subesterilizantes de radiacion gamma. Graellsia. 35/36: 129 - 141. (Ceratitidis capitata 3,4)
285. Muniz, M. 1982: Inhibicion de la fecundidad y fertitidad de Ceratitidis capitata (Wied.) por tratamiento con 5-Fluoruracilo en generaciones sucesivas. Graellsia. 38: 175 - 182. (Ceratitidis capitata 3,4)
286. Muniz, M. u. Burgos, R. 1982: Estudio del comportamiento reproductor de Ceratitidis capitata (Wied.) ante el tratamiento con 5-fluoruracil y radiacion gamma. Graellsia. 39: 155 - 165. (Ceratitidis capitata 3,4)
287. Muniz, M. u. Gil, A. 1982: Estimacion parametrica no lineal por minimos cuadrados: Aplicacion al estudio de la mortalidad de huevos de Ceratitidis capitata (Wied.) en disoluciones acuosas de electrolitos. Bol. Serv. Plagas. 7: 107 - 114. (Ceratitidis capitata 3,4)
288. Muniz, M. u. Andres, M.P. 1983: Investigaciones basicas para la inclusion de Hansenula anomla como aporte proteico en la dieta larvaria de Ceratitidis capitata (Wied.) Graellsia. 39: (Ceratitidis capitata 3,4,7) in press
289. Nakagawa, S., Prokopy, R.J. et al. 1978: Visual orientation of Ceratitidis captata flies to fruit models. Ent.Exl. Appl. 24: 193 - 198. (4,7)
290. Nakasone, S. u. Ichinohe F. 1978: The optimal density for melon fly adults in laboratory rearing. Res. Bull. 10 Pl. Prot. Japan 15: 45 - 46. (In Japanese with English summary.) (Dacus cucurbitae 6,7)
291. Nascimento, A.s., Zucchi, R.A., Morgante, J.S. u. Malavasi, A. 1982: Dinamica populacional das "moscas-das-frutas" do genero Anastrepha (Diptera, Tephritidae) no 10 Reconcavo Baiano. II Flutuacao Populacioal. Pesq. Agrop. Brasil. 17: 969 - 980. (Anastrepha spp. 4.6.8)
292. Neilson, W. 1977: Yellow traps key to maggot detection. Canada Agriculture 22 (3): 22 - 33 (Rhagoletis pomonella 7,8)
293. Neilson, W. 1977: Sticky traps for apple maggot control. Canadex 211.620, 2pp. (Rhagoletis pomonella 7,8)
294. Neilson, W. 1978: Female apple maggot captures and injury to unsprayed apples. J. Econ. Entomol. 71: 755 - 756 (Rhagoletis pomonella 7,8)
295. Neilson, W., Knowlton, A.D. u. Whitman, R.J. 1981: Capture of apple maggot adults on Pherocon R, Rebell, and sticky sphere traps. J. Econ. Entomol. 74: 203 - 206 (Rhagoletis pomonella 7,8)
296. Neilson, W., Knowlton, A.D. u. McRae, K.B. 1981: Preoviposition and oviposition periods of the apple maggot, Rhagoletis pomonella (Diptera: Tephritidae). Can. Ent. 113: 1061 - 1067 (Rhagoletis pomonella 5,7,8)
297. Neuenschwander, P. u. Michelakis, S. 1978: The infestation of Dacus oleae (Gmel) (Diptera, Tephritidae) at harvest time and its influence on yield and quality of olive oil in Crete. Z. ang. Ent. 86: 420 - 422 (Dacus oleae 8)
298. Neuenschwander, P. u. Michelakis, S. 1979: Determination of the lower thresholds and day-degree requirements for eggs and larvae of Dacus oleae (Gmel.) (Diptera: Tephritidae) under field conditions in Crete.Greece.

- Bull. Soc. Entomol. Suisse 52: 57 - 74. (Dacus oleae 5)
299. Neuenschwander, P. u. Michelakis, S. 1979: McPhail trap captures of Dacus oleae (Gmel) (Diptera: Tephritidae) in comparison to the fly density and population composition as assessed by sondage technique in Crete. Greece. Bull. Soc. Entomol. Suisse 52: 343 - 357. (Dacus oleae 7)
300. Neuenschwander, P. u. Michelakis, S. 1980: Olive fruit drop caused by Dacus oleae (Gmel) (Dipt.: Tephritidae). Z. ang. Entomol. 91: 193 - 205. (Dacus oleae 8)
301. Neuenschwander, P., Michelakis, S., Mikros, L., Mathioudi, M. 1980: Compensation for early fruit drop caused by Dacus oleae (Gmel) (Diptera: Tephritidae) due to an increase in weight and oil content of the remaining olives. Z. ang. Entomol. 99: 514 - 525. (Dacus oleae 8)
302. Neuenschwander, P., Michelakis, S., Bigler, F. 1981: Abiotic factors affecting mortality of Dacus oleae larvae and pupae in the soil. Ent. exp. appl. 30: 1 - 9. (Dacus oleae 6)
303. Neuenschwander, P., Bigler, F., Delucchi, V., Michelakis, S. 1983: Natural enemies of preimaginal stages of Dacus oleae (Gmel) (Diptera: Tephritidae) in Western Crete. I. Bionomics and phenologies. Boll. Lad. Ent. Agr. "F. Silvestri" 40: 3 - 32 (Dacus oleae 6)
304. Nohara, K., Ichinohe, F., Sunagawa, K., Nakasone, S. u. Hashimoto, T. 1977: Control of melon fly in pumpkins with ethylene dibromide fumigation. Res. Bull. Pl. Prot. Japan 14:47 - 51. (Dacus cucurbitae 8)
305. Nohara, K., Ichinohe, F., Nakasone, S u. Hashimoto, T. 1978: Control of oriental fruit fly in harvested citrus fruit with EDB and effects upon quality and taste of treated fruit. Res. Bull. Pl. Prot. Japan 15: 35 - 40. (In Japanese with English summary.) (Dacus dorsalis 8)
306. Nohara, K. u. Ichinohe, f. 1980: Infestation of the melon fly in stringbeans. Res. Bull. Pl. Prot. Japan 16: 41 - 47. (In Japanese with English summary.) (Dacus cucurbitae 7)
307. Okamoto, T., Okumura, M., Ide, T. u. Ishizuka, Y. 1982: To what an extent fruits of a wild cucurbit are infested with the melon fly larvae on Kikai Island? Res. Bull. Pl. Prot. Japan 18: 57 - 59. (In Japanese with English summary.) (Dacus cucurbitae 7)
308. Ortu, S. 1978 Osservazioni preliminari sulla resistenza temporanea dei frutti di alcune specie di agrumi agli attacchi della Ceratitidis capitata Wied. Atti della Riunione congiunta del gruppo di lavoro sulla Ceratitidis capitata Wied. Rhagoletis cerasi L., sugli insetti nocivi all'olivo e sui metodi genetici di lotta contro gli insetti dannosi. Sassari, 15 - 20 maggio. (Ceratitidis capitata 8)
309. Ortu, S. u. Prota, R. 1980: Validita dei metodi di campionamento e delle relative soglie di intervento per il controllo dei principali fitofagi della egrumicoltura. Reunion Group d'experts "Standardization de methodologies Bio-Techniques sur Lutte integree en agrumiculture" - San Giuliano (Corse) - Siniscola (Sardegna) (Ceratitidis capitata 8)
310. Pappas, S., Kapatos, E. u. McFadden, M.W. 1977:

- Ecological studies on the olive fly, Dacus oleae Gmel., in Corfu. III. The action of hymenopterous ectoparasites. Boll. Lab. Ent. Agr. Portici, 34: 80 - 86 (Dacus oleae 6)
311. Peschken, D.P. 1979: Host specificity and suitability of Tephritis dilacerata (Diptera: Tephritidae): a candidate for the biological control of perennial sow-thistle (Sonchus arvensis) in Canada. Entomophaga 24(4): 455 - 461. (4,11)
312. Peschken, D.P., Finnamore, D.B. u. Watson, A.K. 1982: Biocontrol of the weed Canada thistle (Cirsium arvense). Releases and development on the gall fly Urophora cardui (Diptera: Tephritidae) in Canada. Can. Ent. 114: 349 - 357. (4,6,11)
313. Plus, N., Veyrunes, J.C. u. Cavalloro, R. 1981: Endogenous viruses of Ceratitis capitata WIED. "J.R.C. ISPRA" strain and of C. capitata permanent cell lines. Annales de Virologie, Paris, 130 E, 91 - 100 (3)
314. Plus, N. u. Cavalloro, R. 1983: The viruses of Ceratitis capitata WIED. in vivo and in vitro. Fruit flies of Economic Importance: Proceedings of CEC/IOBC Int. Symposium, Athens 16-19 November 1982, 106 - 112
315. Poinar, G.R., Jr., Thomas, G. u. Prokopy, R.J. 1977: Microorganisms associated with Rhagoletis pomonella. Proc. Entomol. Soc. Ontario 108: 19 / 22 (6)
316. Prokopy, R.J. 1977: Response of Rhagoletis pomonella and R. fausta flies to different size spheres. Canadian Entomol. 109: 593 - 596. (4)
317. Prokopy, R.J. 1977: Stimuli influencing trophic relations in Tephritidae. Colloq. Intern. Cent. Nat. Recher. Sci. 265: 305 - 336. (3,4,5,6,9)
318. Prokopy, R.J. and G.B. Haniotakis 1977: Host detection by wild and labcultured olive fruit flies. Szmpoz. Biol. Hungaria 16: 209 - 214. (4)
319. Prokopy, R.J., P.D. Greany and D.L. Chambers 1977: Oviposition-detering pheromone in Anastrepha suspensa. Environ. Entomol. 6: 463 - 465. (4)
320. Prokopy, R.J. and P. Spatcher 1977: Location of receptors for oviposition/detering pheromone in Rhagoletis pomonella. Ann. Entomol. Soc. Amer. 70: 960 - 962. (3,4)
321. Prokopy, R.J. 1977: Orientation of tephritids to habitat. Introduction to Chapters 16 - 26. p. 49 - 51. In E.F. Boller and D.L. Chambers, eds. Quality Control of cultured Insects. (4,6)
322. Prokopy, R.J. 1977: Measuring attraction of tephritids to foliage and fruit models, p. 52 / 53. Ibid. (4)
323. Prokopy, R.J. 1977: Testing responses to host odor in Rhagoletis spp., p. 60 / 61. Ibid. (4)
324. Prokopy, R.J. 1977: Testing responses to oviposition-detering pheromones in trypetinae, p. 68 / 70. Ibid. (4)
325. Prokopy, R.J., J.R. Ziegler and T.T.Y. Wong 1978: Fruit marking pheromone detering repeated oviposition in Ceratitis capitata. J. Chem. Ecol. 4: 45 / 53. (4)
326. Prokopy, R.J. and W. Coli 1978: Selective traps for monitoring Rhagoletis mendax. Prot. Ecol. 1: 45 / 53. (4,7)
327. Prokopy, R.J. and R. Webster 1978: Oviposition-detering

- pheromone of Rhagoletis pomonella as a kairomone for its parasitoid Opius lectus. J. Chem. Ecol. 4: 481 - 494. (3,4,6)
328. Prokopy, R.J. and K.I. Hauschild 1979: Comparative effectiveness of sticky red spheres and Pherocon AM Standard traps for monitoring apple maggot flies in commercial orchards. Environ. Entomol. 8: 696 - 700. (7)
329. Prokopy, R.J. and J. Hendricks 1979: Mating behavior of Ceratitidis capitata on a field-caged host tree. Ann. Entomol. Soc. Amer. 72: 642 - 648. (4)
330. Prokopy, R.J. 1980: Mating behavior of frugivorous tephritidae in nature. p. 37 - 46. In: "Fruit Fly Problems", ed. by J. Koyama. Proc. Szmpos. Jap. Nat. Inst. Agricul. Sci., Kyoto. (4)
331. Prokopy, R.J. and S.H. Berlocher 1980: Establishment of Rhagoletis pomonella on rose hips in southern New England. Canad. Entomol. 112: 1319 - 1320. (5)
332. Prokopy, R.J. 1981: Epideictic pheromones that influence spacing patterns of phytophagous insects. pp. 181 - 213. In "Semiochemicals: Their Role in Pest Control", ed. D.A. Nordlund, R.L. Jones, and W.J. Lewis. Wiley and Sons. (3,4,6,8,9)
333. Prokopy, R.J. 1981: Oviposition deterring pheromone system in Rhagoletis pomonella. pp. 477 - 494. In "Management of Insect Pests with Semiochemicals". ed. E.R. Mitchell, Plenum Publ. Co. (3,4,6,8,9)
334. Prokopy, R.J. et al. 1982: Site of production of an oviposition deterring pheromone component in Rhagoletis pomonella flies. J. Insect Physiol. 28: 1 - 10. (3,4)
335. Prokopy, R.J., Malavasi, A. u. Morgante, J.S. 1982: Oviposition deterring pheromone in Anastrepha fraterculus flies. J. Chem. Ecol. 8: 763 - 771 (Anastrepha fraterculus 3,4,6)
336. Prokopy, R.J. u. Koyama, J. 1982: Oviposition site partitioning in Dacus curcubitae. Entomol. Exp. Appl. 31: 428 - 432. (4,6)
337. Prokopy, R.J., Averill, A.L., Cooley, S.S., Roitberg, C.A. u. Kallet, C. 1982: Associative learning in egg-laying site selection by apple maggot flies. Science 218: 76 - 77. (4)
338. Prokopy, R.J., Averill, A.L., Cooley, S.S., Roitberg, C.A. u. Kallet, C. 1982: Variation in host selection behavior of apple maggot flies. Proc. 5th Int. Symp. Insect-Plant Relationships, Wageningen (PUDOC): 123 - 129 (4,9)
339. Prokopy, R.J. 1982: Getting to know a fruit fly. J. Georgia Entomol. Soc. 2nd Suppl: 30 - 38. (3,4,6)
340. Prokopy, R.J., Roitberg, B.D. u. Averill, A.L. 1983: Chemical mediation of resource partitioning in insects. In: R.T. Carde and W.J. Bell, eds. "The Chemical Ecology of Insects." 301 - 320. Chapman & Hall, London
341. Prokopy, R.J. 1983 Tephritid relationships with plants. Proc. Int. Sym. Fruit flies, Athens (CEC Press) 230 - 239 (4,5,6)
342. Prokopy, R.J. u. Roitberg, B.D. 1983: Resource foraging behavior of true fruit flies. American Sci. 72: 41 - 49 (4,6)
343. Prota, R. 1981: Attualita nella lotta antidacica. Infor-

- matore Fitopatologico XXXI (1-2): 19 - 36. (Dacus cleae 8)
344. Prota, R. 1983: Evolution and prospects of integrated control programmes CEC/IOBC Symposium Athen, Nov. 1982: 523 - 546 (Rhagoletis verasi, Dacus cleae, Ceratitidis capitata 4,6,7,8,10)
345. Quilici, S. 1982: Bilan provisoire de la lutte biologique contre les marches des fruits a la Reunion. Rapport IRAT- Reunion 1982; 144 - 148 (Prerandrus rosa, Ceratitidis capitata, 6)
346. Quilici, S. 1983: Marches des Fruits: experimentation sur le piegeage sexual; lutte chimique amenee. Rapport IRAT- Reunion 1983. (Prerandrus rosa, Ceratitidis capitata, 8)
347. Reissig, W.H. 1977: Responce of the apple maggot, Rhagoletis pomonella, and the cherry fruit fly, Rhagoletis fausta (Diptera: Tephritidae), to protein hydrolysate bait sprays. Can. Entomol. 109: 161 - 164. (Rhagoletis pomonella 4,8)
348. Reissig, W.H. 1977: Capture of released apple maggot flies Rhagoletis pomonella (Diptera: Tephritidae) on stick panels. Can Entomol. 109: 631 - 634. (Rhagoletis pomonella 4,7)
349. Reissig, W.H. u. Smith, D.C. 1977: Bionomics of Rhagoletis pomonella in Crataegus. Ann. Entomol. Soc. Amer. 71: 155 - 159. (Rhagoletis pomonella 4,7)
350. Reissig, W.H. u. Tette, J.P. 1978: Apple maggot (Diptera: Tephritidae) monitoring in an apple pest management program. Can. Entomol. 111: 621 - 625. (Rhagoletis pomonella 7,8)
351. Reissig, W.H., Smith, D.C. 1978: Bionomics of Rhagoletis pomonella in Crataegus. Ann. Entomol. Soc. Amer. 71: 155 - 159. (Rhagoletis pomonella 4)
352. Reissig, W.H. 1979: Survival of apple maggot larvae, Rhagoletis pomonella (Diptera: Tephritidae) in picked and unpicked apples. Can. Entomol. 111: 181 - 187 (Rhagoletis pomonella 6)
353. Reissig, W.H., Barnard, J., Weires, R.W., Glass, E.H. u. Dean, R.W. 1979: Prediction of apple maggot fly emergence from thermal unit accumulations. Environ. Entomol. 8: 51 - 54. (Rhagoletis pomonella 5,6)
354. Reissig, W.H., Weires, R.W. u. Soderlund, D.M. 1980: Laboratory and field tests of insecticides against the apple maggot. J. Econ. Entomol. 73: 752 - 754 (Rhagoletis pomonella 8)
355. Reissig, W.H., Fein, B.L. u. Roelofs, W.L. 1982: Field tests of synthetic apple volatiles as apple maggot (Diptera: Tephritidae) attractants. Environ. Entomol. 11: 1294 - 1298. (Rhagoletis pomonella 4,7)
356. Reissig, W.H., Stanley, B.H., Valla, M.E., Seem, R.C. u. Bourke, J.B. 1983: Effects of surface residues of azinphosmethyl on apple maggot behavior, oviposition, and mortality. Environ. Entomol. 12(3): 815 - 822. (Rhagoletis pomonella 8)
357. Reissig, W.H., Weires, R.W., Forshey, C.G., Roelofs, W.L., Lamp, R.C. u. Aldwinckle, H.S. 1984: Management of the apple maggot, Rhagoletis pomonella in disease-resistant dwarf and semi-dwarf apple trees. Environ.

- Entomol. In Press. (Rhagoletis pomonella 8)
358. Remund, U., Boller, E.F., Economopoulos, A.P. u. Tsitsipis, J.A. 1977: Flight performance of Dacus oleae reared on olives and artificial diet. Z. ang. Ent. 82: 330 - 339 (Dacus oleae 4)
359. Remund, U. u. Boller, E.F. 1978: Kirschenfliegenfallen für Prognosewesen und biotechnische Bekämpfung im Vormarsch. Schweiz. Z. Obst- u. Weinbau 114: 229 - 232 (Rhagoletis cerasi 8)
360. Remund, U. u. Boller, E.F. 1979: Zur Negativprognose (Befallsprognose) bei der Kirschenfliege. Schweiz. Z. Obst- u. Weinbau 115: 167 - 170 (Rhagoletis cerasi 8)
361. Remund, U. 1980: Was bringt die Befallsprognose der Kirschenfliege für die Praxis? Schweiz. Z. Obst- u. Weinbau 116: 266 - 268 (Rhagoletis cerasi 7,8)
362. Remund, U., Katsoyannos, B.I., Boller, E.F. u. Berchtold, W. 1980: Zur Eiverteilung der Kirschenfliege, Rhagoletis cerasi L. (Dipt., Tephritidae), im Freiland. Mitt. Schweiz. Ent. Ges. 53: 401 - 405 (Rhagoletis cerasi 4)
363. Remund, U., Economopoulos, A.P., Boller, E.F., Agree, H.R. u. Davis, J.C. 1981: Fruit fly quality monitoring: The spectral sensitivity of field collected and laboratory-reared olive flies, Dacus oleae Gmel. (Dipt., Tephritidae). Mitt. Schweiz. Ent. Ges. 54: 221 - 227 (Dacus oleae 3,4)
364. Remund, U. u. Boller, E.F. 1983: Visual traps for biotechnical control and forecasting of the European cherry fruit fly, Rhagoletis cerasi L. Proc. IOBC/WPRS Symposium Athens 490 - 494 (Rhagoletis cerasi 7,8)
365. Reyes, F.J. u. Guillen, A.J. 1982: Hospederas de la mosca del Mediterraneo Ceratitis capitata (Wied.) (Diptera: Tephritidae) en Mexico. Folia Entomol. Mex. 54: 19 - 20. (4,3,7)
366. Reyes, F.J. u. Ortiz, M.G. 1983: Un Estudio Ecologico-Logistico Para la Erradicación de la Ceratitis capitata (Wied.) (Diptera: Tephritidae) de Egipto. XVIII Congr. Nac. de Entomol. (memorias). Pags. 68 - 29. (8)
367. Romstöck, M. 1984: Zur geographischen Variabilität des mit Cirsium heterophyllum assoziierten Phytophagenkomplexes. Verh. 10. Int. Symposium Entomofaunistik Mitteleuropas (Budapest, 1983), Budapest, S. 123 - 127
368. Roitberg, B.D. u. Prokopy, R.J. 1981: Experience required for pheromone recognition by the apple maggot fly. Nature. 292: 540 - 541. (3,4)
369. Roitberg, B.D., van Lenteren, J.C., van Alphen, J.J.M., Galis, F. u. Prokopy, R.J. 1982: Foraging behavior of Rhagoletis pomonella, a parasite of hawthorn. J. Animal. Ecol. 51: 307 - 325. (4,6)
370. Roitberg, B.D. u. Prokopy, R.J. 1982: Influence of intertree distance on foraging behavior of Rhagoletis pomonella flies. Ecol. Entomol. 7: 437 - 442. (4,6)
371. Roitberg, B.D., Prokopy, R.J. u. Elkinton, J.S. 1982: Foraging behavior of Rhagoletis pomonella: a model for fruit parasites Proc. 5th Int. Symp. Insect-Plant Relationships, Wageningen (PUDOC): 451 - 452. (4,6)
372. Roitberg, B.D. u. Prokopy, R.J. 1983: Influence of host fruit deprivation on apple maggot fly response

- to oviposition deterring pheromone. *Physiol. Entomol.* 8: 69 - 72. (3,4)
373. Saeki, S., Katayama, M. u. Okumura, M. 1980: Effect of temperatures upon the development of oriental fruit fly and its possible distribution in the mainland of Japan. *Res. Bull. Pl. Prot. Japan* 16: 73 - 76. (In Japanese with English summary.) (*Dacus dorsalis* 5,6)
374. Saul, S.H. 1982: Some sexually dimorphic characters in the Mediterranean fruit fly, *Ceratitis capitata* (Wied.) and their variations. *Proc. Hawaiian Entomol. Soc.* 24: 115 - 121 (*Ceratitis capitata* 2,4,9)
375. Saul, S.H. 1982: A rosy-like mutant of the Mediterranean fruit fly, *Ceratitis capitata* (Diptera: Tephritidae), and its potential for use in a genetic sexing program. *Ann. Entomol. Soc. Am.* 75: 480 - 483 (*Ceratitis capitata* 2,8,9,)
376. Saul, S.H., Tsuda, T. u. Wong, T.T.Y. 1983: Laboratory and field trials of methoprene and other insecticides for control of the Mediterranean fruit fly, *Ceratitis capitata*. *J. Econ. Entomol.* 76: 174 - 177 (*Ceratitis capitata* 8)
377. Saul, S.H. 1984: Genetic sexing in the Mediterranean fruit fly, *Ceratitis capitata* using conditionally lethal translocations. *Ann. Entomol. Soc. Am.* in press (*Ceratitis capitata* 8,9)
378. Schoonhoven, L.M. 1983: The role of chemoreception in hostplant finding and oviposition in phytophagous Diptera. In: *Fruit Flies of Economic Importance* (R. Cavalloro, Ed.) A.A. Balkema, Rotterdam. p. 240 - 247 (3,4,10)
379. Schroeder, W.J. u. Mitchell, W.C. 1981: Marking tephritidae fruitfly adults in Hawaii for release-recovery studies. *Proc. Haw'n Entom. Soc.* 23(3): 437 - 440 (*Dacus dorsalis*, *Ceratitis capitata*, *Dacus cucurbitae* 7)
380. Scoppa, P. u. Cavalloro, R. 1977: Attivita' delle ossidasi a funzione mista in *Ceratitis capitata* WIED. *Redia* LX, 375 - 385 (3)
381. Scovassi, A.I., Cavalloro, R. u. Bertazzoni, U. 1983: A DNA polymerase alpha partially resistant to aphidicolin in cells and embryos of med-fly (*Ceratitis capitata* WIED.) *Biochemistry International*, Sidney, 7(4), 481 - 491
382. Sharp, J.L. 1977: Flight mill studies with *Anastrepha suspensa*, *Dacus dorsalis* and *Dacus cucurbitae*. In: Boller, E.F. and Chamber, D.L. (eds), *Quality Control: An Idea Book for Fruit Fly Workers*. International Organization for Biological Control of Noxious Animals and Plants Bulletin SROP-WPRS (1977) pp. 28 - 29 (4)
383. Sharp, J.L. and Webb, J.C. 1977: Measuring wingbeat frequencies, *ibid.* pp. 33 - 34 (4)
384. Sharp, J.L. and Webb, J.C. 1977: Flight performance and signaling sound of irradiated or unirradiated *Anastrepha suspensa*. *Proc. Hawaiian Entomol. Soc.* 22: 525 - 532 (4)
385. Sharp, J.L. 1978: Tethered Flight of apple maggot flies. *Fla. Entomol.* 61: 199 - 200 (*Rhagoletis pomonella*)(4)
386. Sharp, J.L. 1979: A method to determine wing dimensions of insects. *Fla. Entomol.* 8: 708 - 710 (7)
387. Sharp, J.L. 1980: Flight propensity of *Anastrepha*

- suspensa, J. Econ. Entomol. 73: 631 - 633 (4)
388. Sharp, J.L., Carlyle, T.C. u. Little, H.F. 1980: Missing indirect flight muscles in Anastrepha suspensa with droopy wing syndrome. Ann. Entomol. Soc. Am. 73: 239 - 243 (2)
389. Sharp, J.L. 1981: Methods to observe the effects of radiation on four behavioral responses of fruit flies. In: Proc. FAO/IAEA Training Course on use of Radioisotopes and Radiation in Entomology, June 29-August 21, 1981, University of Florida, Gainesville, Fl. 134 - 139 (4)
390. Sharp, J.L. u. Little, H.F. 1982: Effect of mechanical disturbance on median dorsal flight muscle development of Anastrepha suspensa. Ann. Entomol. Soc. Am. 75: 146 - 149 (2)
391. Sharp, J.L., Boller, E.F. u. Chambers, D.L. 1983: Selection for flight propensity of laboratory and wild strains of Anastrepha suspensa and Ceratitis capitata. J. Econ. Entomol. 76: 302 - 305 (4)
392. Sharp, J.L. u. Chambers, D.L. 1983: Aggregation response of Anastrepha suspensa to proteins and amino acids. Environ. Entomol. 12: 923 - 928 (4)
393. Sharp, J.L. u. Chambers, D.L. 1984: Consumption of carbohydrates, proteins and amino acids by Anastrepha suspensa (Loew) (Diptera: Tephritidae) in the laboratory. Environ. Entomol. Submitted. (4)
394. Sharp, J.L. u. Ashley, T.R. 1984: Chemicals tested as internal dye markers for the Caribbean fruit fly, Anastrepha suspensa (Loew) (Diptera: Tephritidae). Fla. Entomol. Submitted (7)
395. Shimamura, H., Makino, S., Katayama, S. u. Omura, K. 1977: Control of melon fly in mango with ethylene dibromide fumigation. Res. Bull. Pl. Prot. Japan 14: 82 - 84. (In Japanese.) (Dacus cucurbitae 8)
396. Seitz, A., Komma, M. 1984: Genetic polymorphism and its ecological background in Tephritid populations (Diptera: Tephritidae). In: Population biology and evolution, ed. Wöhrmann, K. Loeschke, V., Springer-Verlag, p. 143 - 158 (Urophora cardui, Tephritis conura, 6,9)
397. Sigwalt, B., Michelakis, S. u. Alexandrakis, V. 1977: L'hivernation de Dacus oleae (Gmel) (Diptera: Tephritidae) a l'etat de pupes. Ann. Zool. Ecol. Anim. 1977. 9: (2), 287 - 297 (Dacus oleae 5)
398. Smith, D.C., Prokopy, R.J. 1980: Mating behaviour of Rhagoletis pomonella (Diptera: Tephritidae) VI. Site of early-season encounters. Can. Entomol. 112: 585 - 590. (Rhagoletis pomonella 4)
399. Smith, D.C., Prokopy, R.J. 1981: Seasonal and diurnal activity of Rhagoletis mendax flies in nature. Ann. Entomol. Soc. Amer. 74: 462 - 466. (Rhagoletis mendax 4)
400. Smith, D.C., Prokopy, R.J. 1982: Mating behavior of Rhagoletis mendax (Diptera: Tephritidae) flies in nature. Ann. Entomol. Soc. Amer. 75: 388 - 392. (Rhagoletis mendax 4)
401. Souza, H.M.L., Cytrynowicz, M., Morgante, J.S. u. Pavan, O.H.O. 1983: Occurrence of Anastrepha fraterculus (Wied.), Ceratitis capitata (Wied.) and Silba spp. eggs in oviposition punctures on three host fruits. Rev.

- Brasil Entomol. 27: 191 - 195 (Anastrepha fraterculus, Ceratitidis capitata 4,5,6)
402. Strappazzon, A., Girolami, V. u. Masia, A. 1984: Host plant chemicals regulating the reproductive behaviour of olive flies. Proc. Int. Joint Meeting CEC-FAO-IOBC on Integrated Control in Olive-Groves. (in press). (Dacus oleae 4, (Kairomones))
403. Sueyoshi, S., Imamura, T. u. Todaka, K. 1977: Control of oriental fruit fly in mandline orange ("Obeni" variety) with ethylene dibromide fumigation. Res. Bull. Pl. Prot. Japan 14: 78 - 79. (In Japanese.) (Dacus dorsalis 8)
404. Sugimoto, T. u. Furusawa, K. 1982: Cold-treatment of seminole against the oriental fruit fly, Dacus dorsalis Hendel. Res. Bull. Pl. Prot. Japan 18: 47 - 52. (In Japanese with English summary.) (Dacus dorsalis 8)
405. Sugimoto, T., Furusawa, K. u. Gaja, T. 1983: An examination method of host fruits infested by oriental fruitfly, Dacus dorsalis Hendel. Res. Bull. Pl. Prot. Japan 19: 13 - 17. (In Japanese with English summary.) (Dacus dorsalis 7)
406. Sugimoto, T., Furusawa, K. u. Mizobuchi, M. 1983: The effectiveness of vapor heat treatment against the oriental fruit fly, Dacus dorsalis Hendel, in green pepper and fruit tolerance th the treatment. Res. Bull. Pl. Prot. Japan 19: 81 - 88. (In Japanese with English summary.) (Dacus dorsalis 8)
407. Tsiropoulos, G.J. u. Manoukas, A.G. 1977: Adult quality of Dacus oleae (Gmelin) affected by larval crowding and pupal irradiation. Ann. Entomol. Soc. Am. 70: 916 - 918 (Dacus oleae, 7,8,11)
408. Tsitsipis, J.A. u. Manoukas, A.G. 1977: Monitoring the production of the "DEMOKRITOS" olive fly facility in Greece. In "Quality Control" Eds. E.F. Boller and D.C. Chambers. IOBC/WPRS, Bull. 5: 129 (Dacus oleae, 7)
409. Turica, A., Benavent, J.M. u. Fernandez, V.B. 1979: Segunda prueba piloto de control de la "mosca del Mediterraneo" mediante la liberacion de insectos esterilizados como parte de control integrado. IDIA Nr. 349 18 - 26 (Ceratitidis capitata 4,6,8)
410. Turica, A. 1980: Progreso logrado en la utilizacion de la Technica de insectos esterilizados en el control de la "mosca del Mediterraneo" en la Republica Argentina. Seminario Regional sobre Erradicacion de plagas mediante la T.I.E., Lima-Peru. Sep. OEA-CIEN, Washington: 13 - 18 (8)
411. Turica, A. 1980: Desinfestacion por irradiacion. Efectos de radiaciones gamma sobre estados primarios de Ceratitidis capitata. II. Congreso Nacional de Citricultura, Concordia, T. I 263 - 267 (8)
412. Turica, A., Valsangiacomo, F.J., Vaccaro, N.C., Gouin, L.H. 1980: Metodo de desinfestacion de fruta citrica para exportacion con dibromuro de etileno. II. Congreso Nac. Citricultura, Concordia, T. I 268 - 283 (Ceratitidis capitata Anastrepha fraterculus 8)
413. Tzanakakis, M.E. u. Stamopoulos, D.C. 1978: Survival and laying ability of Dacus oleae (Diptera: Tephritidae) cold stored as pupae and adults. Z. ang. Entomol. 86: 311 - 314. (Dacus oleae 6,7)
414. Tzanakakis, M.E., Prophetou, D.A., Vassiliou, G. N. u.

- Papadopoulos, J.J. 1983: Inhibition of larval growth of Dacus oleae by topical application of streptomycin to olives. Entomologia Hellenica (in Press). (Dacus oleae 3,8)
415. Uscidda, C. u. Delrio, G. 1979: Osservazioni preliminari sul comportamento sessuale di Dacus oleae Gmelin in laboratorio e in campo. Notiz. Mal. Piante, 100: 287 - 289 (Dacus oleae 4)
416. Ushio, S., Yoshioka, K., Nakasu, K. u. Waki, K. 1982: Eradication of the oriental fruit fly from Amami Islands by male annihilation (Diptera; Tephritidae) Jap. J. appl. Ent. Zool. 26: 1 - 9. (In Japanese with English summary.) (Dacus dorsalis 7,10)
417. Usuki, Y., Fukushima, M., Okamoto, T. u. Hamaguchi, T. 1983: Evaluation of shipment of melon fly pupae with emphasis on temperatures and holding containers. Res. Bull. Pl. Prot. Japan 19L 89 - 92. (In Japanese with English summary.) (Dacus cucurbitae 7)
418. Vallo, V. 1979: Nove metody boja proti vrtivke ceresnovej. Zahradnictvo, 4: (5), 208 - 209 (Rhagoletis cerasi L. 8)
419. Vallo, V. 1979: Bionomia vrtivky ceresnovej Rhagoletis cerasi L. (Diptera: Trypetidae) a ochrana proti nej. Veda SAV edicia Pol'nohospodarska veda, 105 str. (Rhagoletis cerasi 4,5,6,7,8)
420. Vallo, V. u. Kneifl, V. 1978: vizualny lapac - nový prostriedok pre signalizáciu letu imag vrtivky ceresnovej Rhagoletis cerasi L. Zbornik z 2. konf. o prognoze a signalizácii škodlivých činiteľov v pol'nohospodarstve a lesníctve, Modra, 141 - 144. (Rhagoletis cerasi 8)
421. Vallo, V. u. Linderova, Z. 1978: Incompatible races of European cherry fruit fly Rhagoletis cerasi L. in Czechoslovakia and Hungary. II. International Conf. on Regulation of Insect Reproduction, Zinkovy, CSSR. (Rhagoletis cerasi 9)
422. Vallo, V. 1982: The effect of the population density of cherry fruit fly larvae Rhagoletis cerasi L. on survival. III. International Conf. on Regulation of Insect Reproduction, Bechyně, CSSR (Rhagoletis cerasi 6)
423. Vallo, V. 1984: Minimalizacia chemického boja proti vrtivke ceresnovej. Zahradnictvo, 2, 63. (Rhagoletis cerasi 8)
424. Van der Pers, J.N.C., Hanriotakis, G. u. King, B.M. 1983: Electroantennogram responses from the olfactory system in Dacus oleae. Entomol. Exp. Appl. submitted. (Dacus oleae 3)
425. Vianello, A., De Gerloni, P.F., Ragazzi, E. u. Girolami, V. 1982: Indagine sul contenuto fenolico delle olive nel corso della maturazione. Frustula Entomologica, 4: 257 - 265. (Dacus oleae 4, (Host plant chemicals))
426. Vijaysegaran, S. 1980: The occurrence of Dacus dorsalis Hendel and Dacus pedestris (Bezzi) (Dipt. Tephrit.) on Averrhoa carambola in Serdang and the status of their parasites. National Seminar on Malaysian Fruits, 5-7 November, 1980, University of Agriculture, Malaysia (6,7)
427. Vijaysegaran, S. 1981: Preliminary evaluation of the

- effects of nine insecticides on fruit flies Dacus spp. infesting Averrhoa carambola L. Fruit Research Branch info. leaflet. No. 3, 12pp. MARDI, Serdang. (8)
428. Vijaysegaran, S. 1983: Some methods of controlling fruit flies. MARDI Report No. 81 B, 14 pp. (Dacus dorsalis, D. cucurbitae, D. umbrosus, 8)
429. Vijaysegaran, S. 1984: Management of fruit flies. Proc. Seminar on Integrated Pest Management, 16-17th. January, Kuala Lumpur. (in Press) (Dacus dorsalis, D. cucurbitae, D. tau, D. frauenfeldi, 8)
430. Wakid, A.M. u. El-Gazzar, L.M. 1977: Improvement of the rearing methods of the Mediterranean fruit fly, Ceratitis capitata in Egypt for its control by the sterile insect technique. Proc. Second Egt. Pest Cont. Cong. Univ. Alexandria, Sept. 1974, 107 - 115 (Ceratitis capitata 7)
431. Wakid, A.M., Amin, A.H., Shoukry, A. u. Fadel, A.M. 1982: Factors Influencing Sterility and Vitality of the Mediterranean Fruit Fly, Ceratitis capitata. I. Larval Diet and Dose Rate, Isotope and Rad. Res., 14: 71 - 79 (Ceratitis capitata 8)
432. Webster, R., Prokopy, R.J. u. Stoffolano, J.G. 1979: Long-term intake of protein and sucrose in relation to the reproductive behavior of Rhagoletis pomonella adults. Ann. Ent. Soc. Amer. 72: 642 - 648. (4)
433. Wood, G.W., Crozier, L.M. u. Neilson, W.T.A. 1983: Monitoring the blueberry maggot, Rhagoletis mendax (Diptera: Tephritidae), with Pherocon R AM traps. Can. Ent. 115: 219 - 220 (Rhagoletis mendax 7,8)
434. Yao, A., Hsu, Y.M. u. Lee, W.Y. 1977: Moving abilities of sterile oriental fruit fly (Diptera: Tephritidae). NSC Monthly 5(8): 668 - 673. (Dacus dorsalis 4)
435. Yao, A. u. Lee, W.Y. 1978: A population study of the oriental fruit fly, Dacus dorsalis Hendel (Diptera: Tephritidae), in guava, citrus fruits and wax apple fruit in Northern Taiwan. Bull. Inst. Zool., Academia Sinica 17: 103 - 108. (6)
436. Yao, A. u. Lee, W.Y. 1979: Abundance and distribution studies of the oriental fruit fly, Dacus dorsalis Hendel, and its parasite in eastern Taiwan. NSC Monthly 8: 597 - 601. (4,6)
437. Zangheri, S., Cavalloro, R., Delrio, G., Girolami, V., Protta, R. u. Ricci, C. 1978: Osservazioni sul Dacus oleae Gmelin in varie regioni italiane, nell'ambito di un programma coordinato. Atti XI Congresso. Naz. It. Ent. Protici-Sorrento, 10 - 15 maggio 1976: 429 - 436. (Dacus oleae 4,6,8)
438. Zervas, G.A., Economopoulos, A.P. 1982: Mating frequency in caged populations of wild and artificially reared (normal or Y-sterilized) olive fruit flies. Environ. Entomol. 11: 17 - 20 (Dacus oleae 4)
439. Zouros, E., Loukas, M., Economopoulos, A.P., Mazomenos, B.E. 1982: Selection at the alcohol dehydrogenase locus of the olive fruit fly Dacus oleae under artificial rearing. Heredity 48: 169 - 185 (Dacus oleae 9)
440. Zouros, E., Loukas, M., Economopoulos, A.P., Mazomenos, B.E. 1983: Changes at the alcohol dehydrogenase locus of Dacus oleae under artificial rearing. International Symposium Proceedings on Fruit Flies of Economic Import-

- tance (1982): 171 - 177 (Dacus oleae 9)
441. Zümreoglu, A., Ohinata, K., Fujimoto, M., Higa, H. u. Harris, E.J. 1979: Gamma irradiation of the Mediterranean Fruit Fly: Effect of treatment of immature pupae in Nitrogen on emergence, longevity, sterility, sexual competitiveness, mating ability an pheromone production on males. J. Econ. Entomol. 72: 173 - 176. (Ceratitidis capitata 3,4,9)
442. Zümreoglu, A., Tanaka, N. u. Harris, E.J. 1979: The need for wheat germ in larval diets of the Mediterranean Fruit Fly, Ceratitidis capitata (Wied.) (Dipt. Tephritidae) on non-nutritive bulking material. Türk. Bit. Kor. Derg. 3(3): 131 - 138.(7)
443. Zümreoglu, A., Akman, K., San, S. u. Ulu, O. 1982: Investigations on the possibilities to apply the bait-spraying technique against the European Cherry fruit fly (Rhagoletis cerasi L.) in Aegean Region Bit. Kor. Bült. 21(4) in turkish, Abstr. in English (4,8)
444. Zümreoglu, A. 1983: Field cage evaluations on the male sex pheromone (Methyl(E)-6-nonenolate) on the Mediterranean fruit fly (Ceratitidis capitata Wied.) (Ed. R. Cavalloro, Fruit Flies of Economic Importance) Proc. CEC/ IOBC Int. Symp. Athens 1982. Rotterdam 642 p. (3,4)
445. Zwölfer, H. 1982: Das Verbreitungsareal der Bohrfliege Urophora cardui L. (Dipt. Tephritidae) als Hinweis auf die ursprünglichen Habitate der Ackerdistel (Cirsium arvense (L.)) Scop. Verh. Dtsch. Zool. Ges. 1982, 298, G. Fischer Verlag Stuttgart. (Urophora cardui, 6)
446. Zwölfer, H. 1982: Life systems and strategies of resource exploitation in tephritis. In: Fruit Flies of economic importance (ed. R. Cavalloro), Proc. CEC/ IOBC Symposium, Athens, p. 16 - 30 (Tephritidae, 2,4,5,6)
447. Zwölfer, H., Bush, G. 1984: Sympatrische und parapatrische Artbildung. Z. zool. Syst. Evol. Forsch., 22: 211 - 233 (Tephritidae, 9)

Subject index

1. Taxonomy and Systematics: 1, 41, 42, 97, 187, 189, 190,  
191, 194, 211, 212, 213, 214, 222, 273
2. Morphology: 152, 158, 168, 174, 203, 207, 277, 278, 360,  
361, 374, 376, 431
3. Physiology: 2, 5, 11, 13, 21, 23, 24, 25, 32, 40, 43, 52,  
53, 59, 64, 65, 66, 67, 69, 75, 76, 94, 95, 102,  
133, 134, 135, 139, 141, 146, 149, 150, 154, 155,  
156, 157, 158, 159, 160, 178, 197, 198, 208, 233,  
234, 236, 237, 238, 239, 241, 243, 244, 258, 278,  
280, 281, 282, 283, 284, 285, 286, 287, 312, 316  
319, 326, 331, 332, 333, 354, 364, 366, 367, 400,  
410, 426, 429
4. Behavior: 2, 3, 5, 8, 9, 11, 12, 14, 20, 21, 26, 27, 28, 32,  
33, 40, 43, 48, 64, 70, 76, 77, 85, 89, 92, 93, 94,  
98, 99, 100, 101, 102, 103, 105, 106, 107, 110, 114,  
115, 117, 118, 119, 121, 123, 125, 126, 127, 128,  
131, 133, 134, 135, 136, 137, 138, 140, 142, 143,  
148, 153, 154, 155, 156, 157, 158, 159, 160, 161,  
162, 164, 165, 166, 167, 169, 175, 179, 180, 181,  
199, 204, 206, 210, 229, 233, 234, 236, 237, 238,  
239, 240, 241, 253, 256, 262, 263, 265, 266, 267,  
268, 275, 278, 280, 281, 282, 283, 284, 285, 286,  
287, 288, 290, 310, 311, 315, 316, 317, 318, 319,  
320, 321, 322, 323, 324, 325, 326, 327, 328, 329,  
331, 332, 333, 335, 338, 339, 340, 342, 346, 349,  
353, 354, 356, 360, 364, 368, 369, 370, 371, 373,  
375, 377, 378, 379, 384, 385, 386, 387, 388, 395,  
401, 405, 411, 419, 421, 422, 423, 426, 428, 429,  
431
5. Life history: 18, 45, 46, 47, 115, 125, 143, 198, 203, 209,  
236, 250, 251, 253, 264, 271, 295, 297, 316, 330,  
344, 359, 383, 387, 405, 431,

6. Ecology: 9, 10, 47, 51, 74, 77, 78, 79, 80, 81, 82, 83, 84, 87, 88, 92, 100, 115, 121, 124, 125, 126, 127, 128, 129, 130, 131, 132, 136, 137, 138, 139, 143, 146, 149, 150, 151, 161, 163, 164, 166, 167, 168, 169, 177, 201, 202, 216, 217, 219, 220, 221, 223, 224, 225, 229, 231, 232, 240, 249, 250, 251, 252, 253, 254, 259, 264, 270, 271, 272, 273, 276, 289, 290, 301, 302, 309, 311, 314, 316, 320, 326, 331, 332, 333, 335, 336, 343, 344, 356, 358, 359, 382, 387, 395, 399, 405, 408, 412, 420, 421, 422, 430, 431
7. Methods/Techniques: 5, 15, 16, 18, 19, 26, 27, 28, 33, 36, 37, 70, 92, 98, 99, 100, 101, 102, 103, 104, 107, 112, 113, 115, 117, 126, 127, 128, 131, 133, 137, 141, 142, 144, 147, 157, 164, 170, 176, 182, 200, 201, 209, 210, 225, 229, 230, 231, 232, 233, 234, 235, 238, 257, 258, 259, 260, 261, 279, 287, 288, 291, 292, 293, 294, 295, 298, 305, 306, 325, 327, 335, 339, 340, 341, 346, 352, 355, 356, 365, 372, 380, 391, 393, 394, 399, 402, 403, 405, 412, 416, 418, 427
8. Management: 4, 6, 7, 12, 17, 18, 29, 30, 31, 32, 34, 35, 36, 37, 38, 39, 44, 45, 49, 54, 55, 57, 58, 63, 74, 77, 82, 86, 88, 89, 90, 91, 98, 99, 104, 108, 109, 113, 120, 145, 183, 184, 185, 205, 208, 226, 227, 228, 230, 231, 232, 237, 240, 243, 245, 249, 250, 255, 269, 271, 290, 291, 292, 293, 294, 295, 296, 299, 300, 303, 304, 307, 308, 331, 332, 334, 335, 337, 338, 341, 345, 347, 348, 350, 351, 352, 355, 357, 361, 362, 363, 381, 389, 390, 392, 393, 395, 396, 397, 398, 400, 404, 405, 406, 409, 413, 414, 415, 417, 418, 422, 428
9. Genetics, Evolution: 3, 8, 22, 29, 41, 42, 116, 138, 207, 208, 252, 254, 268, 273, 274, 316, 331, 332, 360, 361, 363, 382, 407, 424, 425, 426, 432
10. Review, Bibliography: 30, 32, 34, 35, 42, 60, 62, 68, 96, 100, 101, 102, 103, 108, 110, 111, 112, 113, 114, 122, 173, 186, 188, 189, 191, 192, 193, 195, 215, 335, 364, 402