

3.4 Thiamethoxam Honey Bee Large Scale Colony Feeding Study – Design and Interpretation

Natalie Ruddle¹, Charlotte Elston¹, Helen Thompson¹, Jay Overmyer², Max Feken², Sigrun Bocksch³, Marcus Hill⁴

¹ Syngenta Limited, Jealott's Hill Research Station, Bracknell, Berkshire, United Kingdom

² Syngenta Crop Protection LLC, 410 Swing Road, Greensboro, NC 27409 USA

³ Eurofins Agrosience Services Ecotox GmbH, Eutinger Str. 24, 75223 Niefern-Oschelbronn, Germany

⁴ Eurofins Agrosience Services, Inc, Cedar Grove Research Facility, 8909 Atkins Road, Mebane, NC 27302 USA

DOI 10.5073/jka.2018.462.031

Abstract

Colony feeding studies were originally developed to directly assess the insect growth regulating properties of insecticides and designed to determine mode of action rather than effect levels. More recently there has been regulatory interest in conducting colony feeding studies to determine the pesticide level in nectar substitute (sucrose solution) which leads to colony-level effects, thereby allowing for comparison with residue concentrations detected in pollen and nectar from treated crops. In 2016 a colony feeding study was conducted with thiamethoxam in central North Carolina, USA with the aim of providing a robust colony-level endpoint for comparison with residues in pollen and nectar detected following applications in bee-attractive crops. Honey bee (*Apis mellifera ligustica*) colonies were fed, directly within the hive, thiamethoxam spiked sucrose solution twice weekly for a six-week period from early July to mid-August during a nectar dearth period in an area with limited row-crop agriculture. The following concentrations were provided at each application; 12.5, 25, 37.5, 50 or 100 ppb thiamethoxam. The study consisted of twelve apiaries containing one treatment colony for each concentration, two control colonies and one monitoring colony which was used to determine what the bees were foraging on in the landscape and if exposed to any other agrochemicals via pollen identification and pollen and nectar residue analysis, respectively. Colony Condition Assessments (CCAs) were conducted prior to the start of exposure in July, through late October, and after overwintering the following year to observe the overall colony performance. In addition, samples of bee pollen and nectar/honey were collected at intervals before, during and after the exposure phase for analysis of thiamethoxam and its major metabolite CGA322704 (clothianidin). The data showed statistically significant effects at the 100 ppb treatment level in several colony parameters, therefore the Lowest Observed Adverse Effect Level (LOAEL) is 100 ppb. At 50 ppb, with the exception of two time points for pollen stores, all colony parameters measured over the course of the study were similar to the controls including over-wintering survival, therefore confirming the No Observed Adverse Effect Level (NOAEL) is 50 ppb. This colony NOAEL of 50 ppb provides the basis by which to evaluate the potential risk of thiamethoxam residues detected in pollen and nectar following treatment of bee attractive crops. It also provides additional support for the lack of effects reported in field studies following exposure of colonies to levels of thiamethoxam in pollen and nectar of seed treated crops that are an order of magnitude lower than the no effect level observed in this study.

462

Julius-Kühn-Archiv

Pieter A. Oomen, Jens Pistorius (Editors)

Hazards of pesticides to bees

13th International Symposium of the
ICP-PR Bee Protection Group

18. - 20. October 2017, València (Spain)

- Proceedings -



Julius Kühn-Institut
Bundesforschungsinstitut für Kulturpflanzen

History ICPPR-Bee Protection Group conferences

- 1st Symposium, Wageningen, the Netherlands, 1980
- 2nd Symposium, Hohenheim, Germany, 1982
- 3rd Symposium, Harpenden, UK, 1985
- 4th Symposium, Řež, Czech Republic, 1990
- 5th Symposium, Wageningen, the Netherlands, 1993
- 6th Symposium, Braunschweig, Germany, 1996
- 7th Symposium, Avignon, France, 1999
- 8th Symposium, Bologna, Italy, 2002
- 9th Symposium, York, UK, 2005
- 10th Symposium, Bucharest, Romania, 2008
- 11th Symposium, Wageningen, the Netherlands, 2011
- 12th Symposium, Ghent, Belgium, 2014
- 13th Symposium València, Spain, 2017
- 14th Symposium scheduled, Bern, 2019

Organising committee 13th conference

- Dr. Jens Pistorius (Julius Kühn-Institut, Germany)
- Dr. Anne Alix (Dow Agrosciences, United Kingdom)
- Dr. Carmen Gimeno (Trialcamp, Spain), local organiser
- Dr. Gavin Lewis (JSC, United Kingdom)
- Dr. Pieter Oomen (Wageningen, The Netherlands)
- Dr. Veronique Poulsen (ANSES, France)
- Dr. Guy Smagghe (Ghent University, Belgium)
- Dr. Thomas Steeger (US Environmental Protection Agency, USA)
- Dr. Klaus Wallner (Hohenheim University, Germany)

Editors

- Dr. Pieter A. Oomen, Wageningen, The Netherlands
- Dr. Jens Pistorius, Braunschweig

Group photo of all symposium participants, standing in front, from left:

- Thomas Steeger (new board member),
- Jens Pistorius (new chairman),
- Françoise & Pieter Oomen with award (editor & former chairman),
- Guy Smagghe (organiser, symposium host and new board member),
- Job & Margreet van Praagh with award,
- Anne Alix (secretary of the board)

Foto

Pieter A. Oomen (Bumble bee *Bombus lapidarius* on thistle)

The proceedings of the symposia (such as these) are being published by the Julius Kühn Archive in Germany since the 2008 symposium in Bucharest, Romania. These proceedings are also accessible on internet, e.g. the former symposium proceedings published by JKI can be found on <https://ojs.openagrar.de/index.php/JKA/issue/archive> (Issues 423, 437, 450). Furthermore, proceedings of former meetings have meanwhile been digitalized and can be found on https://www.openagrar.de/receive/openagrar_mods_00032635.

Bibliografische Information der Deutschen Nationalbibliothek

Die Deutsche Nationalbibliothek verzeichnet diese Publikation. In der Deutschen Nationalbibliografie: detailierte bibliografische. Daten sind im Internet über <http://dnb.d-nb.de> abrufbar.

ISSN 1868-9892

ISBN 978-3-95547-064-7

DOI 10.5073/jka.2018.462.000



Alle Beiträge im Julius-Kühn-Archiv sind unter einer Creative Commons - Namensnennung - Weitergabe unter gleichen Bedingungen - 4.0 Lizenz veröffentlicht.

Printed in Germany by Arno Brynda GmbH, Berlin.