

5.3 Honey bee poisoning incidents in Germany

Jens Pistorius, David Thorbahn, Gabriela Bischoff

Julius Kühn-Institute, Institute for Bee Protection, Messeweg 11/12, D-38106 Braunschweig,
E-mail: jens.pistorius@julius-kuehn.de

DOI 10.5073/jka.2018.462.056

Introduction

In Germany, incidents with potential cause of bee poisoning are analyzed at the examination center for bee poisoning incidents (UBieV) at the JKI. As incidents – increased mortalities of foragers up to losses of colonies or even whole apiaries – may have different causes, such as exposure to bee toxic substances, e.g. pesticides, biocides and varroacides or natural causes such as mismanagement, malnutrition or diseases, cases with suspected poisoning of honey bees need detailed investigations to identify the most likely causes.

Procedure

To evaluate the potential cause of incident, bee samples, plant samples, samples of combs and other materials are sent in directly by beekeepers or by institutions involved in the investigation of incidents on site, such as plant protection services of the federal states. For the investigation of incidents it is important that appropriate bee material is available for an investigation for analysis of bee poisoning by PPP or biocides. However, for some reported incidents the amount of bee samples required for investigation were too small, too old or inappropriate for other reasons and could not therefore be analyzed.

Appropriate bee- and plant samples are initially tested for presence of bee toxic PPP or biocides using a bioassay with larvae of *Aedes aegypti* L. Wherever appropriate and sufficient material is available, samples are usually analysed for bee toxic insecticides, acaricides, nematocides, EBI fungicides which interact synergistically with some insecticides and other relevant substances using highly sensitive LC-MS/MS und GC-MS technique (140 active substances screened). If plant samples from treated crops are present, both bee and plant material are additionally analyzed for numerous non-bee toxic fungicides and herbicides, which serve as a “fingerprint” for correlation of bee and plant samples (282 active substances in all). For some samples, relevant contamination can largely be excluded due to bioassay results. In these cases, when there were clear indications that other causes than poisonings led to the incident, no chemical analysis were conducted so that resources could be more efficiently directed to other more relevant incidents.

To localise the possible floral source of reported incidents pollen from the bees’ hair coat or – when present – of pollen loads, palynological analyses were conducted using a microscope and pollen origin was identified by means of size, shape, surface structure and assigned to the respective plant family, genus or even species.

Results

In 2013, 108 bee incidents with suspected poisoning by PPP or biocides were reported to the UBieV, corresponding to 1426 damaged colonies and 122 concerned beekeepers; in 2014 140, in 2015 93 incidents reported with 166 beekeepers and 1405 colonies and 100 beekeepers and 854 colonies respectively.

More detailed reports are available on the website of the examination office for bee poisoning incidents for the years 2016 and 2017 (<http://bienenuntersuchung.julius-kuehn.de>). For example, in 2016 144 bee incidents with suspected poisoning by PPP or biocides were reported to the UBieV, corresponding to 1353 damaged colonies and 150 concerned beekeepers. For 117 of the incidents appropriate bee material was sent in, so that an investigation for analysis of bee poisoning by PPP or biocides could be conducted. In 27 of these incidents the submitted samples were small, too old, or inappropriate for other reasons and could not therefore be analyzed. In 38 of the incidents, bee toxic insecticides were detected in bee samples. In 21 (55 %) of incidents with detection of bee toxic insecticides the active substances were insecticides deriving from bee hazardous PPP classified as B1 (i.e. any application on flowering plants including weeds or on

plants foraged by bees prohibited) and B2 (application on flowering plants only after daily bee flight until 11 p.m.), respectively, or from insecticides classified as B4 (no hazard to bees and bee colonies in approved dosage) which were incorrectly applied in combination with EBI-fungicides, in combination with other insecticides or at excessive rates. In 9 (24 %) cases, bee toxic insecticides were found which had their origin clearly from deliberate poisoning with biocides (illegal use). In 8 cases insecticides were found which derive very likely from biocides, but were also authorized as PPP in the past, so that the legality of use in agriculture could not be completely excluded.

In 2017, in total 116 bee incidents with suspected poisoning by PPP or biocides were reported to the UBieV, corresponding to 1056 damaged colonies and 129 concerned beekeepers in 15 of the incidents, bee toxic insecticides were detected in bee samples. In 12 of these incidents the active substances were insecticides deriving from bee hazardous PPP classified as B1 (any application on flowering plants including weeds or on plants foraged by bees prohibited) and B2 (application on flowering plants only after daily bee flight until 11 p.m.), respectively, or from insecticides classified as B4 (no hazard to bees and bee colonies in approved dosage) which were incorrectly applied in combination with EBI-fungicides, in combination with other insecticides or at excessive rates. In 11 cases, bee toxic insecticides were found which derive clearly from deliberate poisoning with biocides (illegal use). In 3 cases insecticides were found which derive very likely from biocides, but were also authorized as PPP in the past, so that the use agriculture could not be completely excluded.

Conclusions

For the years 2013 to 2017 the evaluation of the most frequently involved substances 2013-2017 demonstrates in table 1 that most frequent causes of bee poisoning incidents with pesticides were caused by Misuse and Abuse of products, ignorance of product label, overdosing and other avoidable causes - as products containing these bee toxic substances are labeled as hazardous for bees, with the exception of Indoxacarb for which both non—hazardous (B4) and hazardous (B1) products are available while all pyrethroids have the classification as B2 but have erroneously been applied as tankmixes with EBI-Fungicides during daily bee flight. This clearly indicates that next to risk assessment and risk management an enforcement of pesticide use conditions and obedience of PPP labels, training of farmers and surveillance of pesticide application are most important to avoid bee poisoning incidents.

Tab.1 Residues in bee poisoning incidents

| Rank | Active Substance | Other uses | 2013 | 2014 | 2015 | 2016 | 2017 | Sum |
|------|--------------------------------|------------|------|------|------|------|------|-----|
| 1 | Dimethoate | - | 10 | 13 | 3 | 4 | 2 | 32 |
| 2 | Fipronil | Biocide | 2 | 4 | 5 | 8 | 1 | 20 |
| 3 | Clothianidin | Biocide | 5 | 5 | 1 | 2 | 2 | 15 |
| 4/5 | Imidacloprid | Biocide | 3 | 5 | 4 | 0 | 1 | 13 |
| 4/5 | I-Cyhalothrin + EBI-fungicide | - | 4 | 2 | 3 | 2 | 2 | 13 |
| 6 | Indoxacarb | Biocide | 2 | 5 | 0 | 3 | 1 | 11 |
| 7 | Chlorpyrifos | Biocide | 3 | 2 | 1 | 1 | 1 | 8 |
| 8/9 | a-Cypermethrin + EBI-fungicide | - | 2 | 2 | 0 | 2 | 0 | 6 |
| 8/9 | Etofenprox | Biocide | 0 | 2 | 1 | 2 | 2 | 7 |
| 10 | (zeta-) Cypermethrin | Biocide | 2 | 2 | 1 | 2 | 0 | 7 |

462

Julius-Kühn-Archiv

Pieter A. Oomen, Jens Pistorius (Editors)

Hazards of pesticides to bees

13th International Symposium of the
ICP-PR Bee Protection Group

18. - 20. October 2017, València (Spain)

- Proceedings -



Julius Kühn-Institut
Bundesforschungsinstitut für Kulturpflanzen

History ICPPR-Bee Protection Group conferences

- 1st Symposium, Wageningen, the Netherlands, 1980
- 2nd Symposium, Hohenheim, Germany, 1982
- 3rd Symposium, Harpenden, UK, 1985
- 4th Symposium, Řež, Czech Republic, 1990
- 5th Symposium, Wageningen, the Netherlands, 1993
- 6th Symposium, Braunschweig, Germany, 1996
- 7th Symposium, Avignon, France, 1999
- 8th Symposium, Bologna, Italy, 2002
- 9th Symposium, York, UK, 2005
- 10th Symposium, Bucharest, Romania, 2008
- 11th Symposium, Wageningen, the Netherlands, 2011
- 12th Symposium, Ghent, Belgium, 2014
- 13th Symposium València, Spain, 2017
- 14th Symposium scheduled, Bern, 2019

Organising committee 13th conference

- Dr. Jens Pistorius (Julius Kühn-Institut, Germany)
- Dr. Anne Alix (Dow Agrosciences, United Kingdom)
- Dr. Carmen Gimeno (Trialcamp, Spain), local organiser
- Dr. Gavin Lewis (JSC, United Kingdom)
- Dr. Pieter Oomen (Wageningen, The Netherlands)
- Dr. Veronique Poulsen (ANSES, France)
- Dr. Guy Smagghe (Ghent University, Belgium)
- Dr. Thomas Steeger (US Environmental Protection Agency, USA)
- Dr. Klaus Wallner (Hohenheim University, Germany)

Editors

- Dr. Pieter A. Oomen, Wageningen, The Netherlands
- Dr. Jens Pistorius, Braunschweig

Group photo of all symposium participants, standing in front, from left:

- Thomas Steeger (new board member),
- Jens Pistorius (new chairman),
- Françoise & Pieter Oomen with award (editor & former chairman),
- Guy Smagghe (organiser, symposium host and new board member),
- Job & Margreet van Praagh with award,
- Anne Alix (secretary of the board)

Foto

Pieter A. Oomen (Bumble bee *Bombus lapidarius* on thistle)

The proceedings of the symposia (such as these) are being published by the Julius Kühn Archive in Germany since the 2008 symposium in Bucharest, Romania. These proceedings are also accessible on internet, e.g. the former symposium proceedings published by JKI can be found on <https://ojs.openagrar.de/index.php/JKA/issue/archive> (Issues 423, 437, 450). Furthermore, proceedings of former meetings have meanwhile been digitalized and can be found on https://www.openagrar.de/receive/openagrar_mods_00032635.

Bibliografische Information der Deutschen Nationalbibliothek

Die Deutsche Nationalbibliothek verzeichnet diese Publikation. In der Deutschen Nationalbibliografie: detailierte bibliografische. Daten sind im Internet über <http://dnb.d-nb.de> abrufbar.

ISSN 1868-9892

ISBN 978-3-95547-064-7

DOI 10.5073/jka.2018.462.000



Alle Beiträge im Julius-Kühn-Archiv sind unter einer Creative Commons - Namensnennung - Weitergabe unter gleichen Bedingungen - 4.0 Lizenz veröffentlicht.

Printed in Germany by Arno Brynda GmbH, Berlin.