Görg et al.

Novel detected entomopathogenic fungus *Pandora* sp. infects *Cacopsylla* spp. and other phloem-feeding hemipteran insects

Louisa M. Görg¹, Annette H. Jensen², Jørgen Eilenberg² and Jürgen Gross¹

¹ Julius Kühn Institute, Institute for Plant Protection in Fruit Crops and Viticulture, Dossenheim ² University of Copenhagen, Department of Plant and Environmental Sciences, Denmark

E-mail of corresponding author: louisa.goerg@julius-kuehn.de

The entomopathogenic fungus Pandora sp. (Entomophthorales: Entomophthoraceae) was discovered on psyllids in Denmark in September 2016. Reisolated from pear psyllid cadavers, it was possible to cultivate the fungus on solid media. In pathogenicity tests, it was assessed whether this (yet undescribed) species would be able to infect other insects, with special regard to psyllids (Hemiptera: Psyllidae). In the pathogenicity experiments, insects were inoculated with a "conidia shower". For this purpose, mycelia mats were applied to the lid of small plastic cups, using the typical mechanisms of Entomophthorales, which actively eject their conidia and showering on the insects underneath. A not yet quantified but high dosage of conidia was used. After exposure to the conidia, the mortality as well as postmortal symptoms of fungal infection were assessed over а period of 10 days. Cacopsylla pyri L. and C. pyricola Foerster, which are indigenous pear psyllids in Germany, were successfully infected. Other psyllids, namely C. picta Foerster and C. pruni Scopoli that cause great damage in fruit production by transmitting phytoplasma diseases to their respective host plants apple or peach, were

also susceptible to this fungus. When inoculated with Pandora sp. mortality increased and symptoms of the fungal infection on the cadavers were observed 24 hours after onset of mortality. Other psyllids were also susceptible like C. peregrina Foerster feeding on hawthorn (Crataegus monogyna L.). Furthermore, other phloem-feeding hemipteran insects such as Acyrthosiphon pisum Harris (Hemiptera: Aphididae) vectoring several plant viruses, showed decreased survival probabilities after treatment with this entomopathogenic fungus. Regarding these results, the role of *Pandora* sp. as a potential agent for a biological pest control approach is a part of the BMELsupported research project "PICTA KILL". An innovative formulation should be developed releasing specific attractant volatiles in order to attract the apple psyllid C. picta towards the encapsulated fungus (Attract-and-Kill- strategy). Hence, the capsule could increase the specificity of this control approach and thereby decrease the new infestation of apple trees with apple proliferation disease.



11th Young Scientists Meeting 2018

14th – 16th November in Braunschweig

- Abstracts -



Berichte aus dem Julius Kühn-Institut



Julius Kühn-Institut Bundesforschungsinstitut für Kulturpflanzen

Kontaktadresse/ Contact

Dr. Anja Hühnlein Julius Kühn-Institut (JKI) Bundesforschungsinstitut für Kulturpflanzen Informationszentrum und Bibliothek Erwin-Baur-Straße 27 06484 Quedlinburg Germany

Telefon +49 (0) 3946 47-123 Telefax +49 (0) 3946 47-255

Wir unterstützen den offenen Zugang zu wissenschaftlichem Wissen. Die Berichte aus dem Julius Kühn-Institut erscheinen daher als OPEN ACCESS-Zeitschrift. Alle Ausgaben stehen kostenfrei im Internet zur Verfügung: http://www.jki.bund.de Bereich Veröffentlichungen – Berichte.

We advocate open access to scientific knowledge. Reports from the Julius Kühn Institute are therefore published as open access journal. All issues are available free of charge under http://www.jki.bund.de (see Publications – Reports).

Herausgeber / Editor

Julius Kühn-Institut, Bundesforschungsinstitut für Kulturpflanzen, Braunschweig, Deutschland Julius Kühn Institute, Federal Research Centre for Cultivated Plants, Braunschweig, Germany

Vertrieb Saphir Verlag, Gutsstraße 15, 38551 Ribbesbüttel Telefon +49 (0)5374 6576 Telefax +49 (0)5374 6577

ISSN 1866-590X DOI 10.5073/berjki.2018.200.000





Dieses Werk ist lizenziert unter einer <u>Creative Commons – Namensnennung – Weitergabe unter</u> <u>gleichen Bedingungen – 4.0 Lizenz</u>. This work is licensed under a <u>Creative Commons – Attribution – ShareAlike – 4.0 license</u>.