

# MEDIA INFORMATION

Leibniz Institute for Farm Animal Biology

Dummerstorf, July 10, 2020



LEIBNIZ INSTITUTE  
FOR FARM ANIMAL BIOLOGY

FRIEDRICH-LOEFFLER-INSTITUT

FLI

Bundesforschungsinstitut für Tiergesundheit  
Federal Research Institute for Animal Health

## Can cattle keep their barns clean?

### Scientists research control of excretory behaviour and toilet training in cattle

**In cooperation with animal behaviour scientists from The University of Auckland in New Zealand and scientists from the Institute of Animal Welfare and Animal Husbandry in Celle, Germany, which belongs to the Friedrich-Loeffler-Institut (FLI), behavioural biologists at the Leibniz Institute for Farm Animal Biology (FBN) are investigating the excretion behaviour of cattle. Can cows keep their barn clean and protect the environment and themselves better against diseases?**

Pets are usually house-trained and even pigs (if possible) look for a secluded corner for defecating. The situation is completely different with cows. They go to the toilet wherever they happen to be. This has negative consequences for the environment and the animals themselves. The resulting ammonia emissions contribute to poor air and water quality. However, these issues could be significantly improved if cattle used a toilet for defecating and urinating, and the waste products could be separated. A dirty barn also has adverse effects on the hoof and udder health of animals and increases the effort required to keep living areas clean. An adult dairy cow produces on average 20 to 30 litres of urine and 30 to 40 kilograms of faeces per day.

### Behavioural scientists want to improve barn hygiene

In a recent study, the scientists concluded that associative learning methods such as operant conditioning should allow for successful latrine training in cattle. The results of the study have now been published in the renowned journal *Neuroscience and Biobehavioral Reviews*\*. The study analyses the neurophysiological basis of excretory behaviour in mammals and considered the likelihood that cattle can learn to control behaviour relevant to toilet training. It was concluded that cattle have the intelligence and neurophysiological capabilities to enable toilet training. The practical investigation of toilet training is currently being investigated at FBN with partners from Celle and New Zealand in a collaborative project funded by the Volkswagen Foundation to a value of 250,000 Euros.

Training is carried out in latrines specially constructed for calves, which have an easily identifiable green colour. Urination outside the latrine is signalled with a short shower, whereas in the latrine it is rewarded (see video).

"In a first step, we wanted to investigate to what extent cows can be trained to control excretion behaviour at all", said project leader at FBN Dr. Jan Langbein. "Overall, this is a very complex process. However, we can now answer this question with a clear yes, as actual experiments with the calves

have shown. Operant conditioning techniques, which focuses on rewarding desired behaviour, has proved its worth. Practical methods to integrate toilet training into daily farm routines need to be further developed.

A practical breakthrough is still pending, despite research efforts in several other countries including Denmark, England, Estonia, Australia, Canada and the Netherlands. Therefore, the scientists from Dummerstorf and their research colleagues in Celle and New Zealand want to take the next big step forward. "If we really manage to use the intelligence of the animals to set up cow toilets in practice, everyone would benefit: The cows, the farmers and the environment", says project coordinator Lars Schrader from FLI.

#### **\*Publication**

**Neuroscience & Biobehavioral Reviews, Volume 115, August 2020, Pages 5-12**

Dirksen, N., Langbein, J., Matthews, L., Puppe, B., Elliffe, D., & Schrader, L. (2020). *Conditionability of 'voluntary' and 'reflexive-like' behaviors, with special reference to elimination behavior in cattle*  
<https://doi.org/10.1016/j.neubiorev.2020.05.006>

#### **Photo: FBN/nordlicht**

A calf uses a special latrine and receives a small reward directly there.

**Video: <https://www.fbn-dummerstorf.de/en/news/press-kit/media-1/> (go for videos: cow latrine)**

Use of the cow latrine at FBN.

#### **The Leibniz Association**

*The Leibniz Association connects 93 independent research institutions that range in focus from the natural, engineering and environmental sciences via economics, spatial and social sciences to the humanities. Leibniz Institutes address issues of social, economic and ecological relevance. They conduct knowledge-driven and applied basic research, maintain scientific infrastructure and provide research-based services.*

*The Leibniz Association identifies focus areas for knowledge transfer to policy-makers, academia, business and the public. Leibniz institutions collaborate intensively with universities – in the form of "Leibniz ScienceCampi" (thematic partnerships between university and non-university research institutes), for example – as well as with industry and other partners at home and abroad.*

*They are subject to an independent evaluation procedure that is unparalleled in its transparency. Due to the importance of the institutions for the country as a whole, they are funded jointly by the Federation and the Länder, employing some 19,100 individuals, including 9,900 researchers. The entire budget of all the institutes is approximately 1.9 billion Euros.*

[www.leibniz-association.eu](http://www.leibniz-association.eu)

#### **The Friedrich-Loeffler-Institut**

*Federal Research Institute for Animal Health, the Friedrich-Loeffler-Institut (FLI) addresses farm animal health and welfare. The work aims at the prevention, diagnostics and control of animal diseases, the improvement of animal welfare and animal nutrition as well as the preservation and use of farm animal genetic resources.*

[www.fli.de](http://www.fli.de)

**Leibniz Institute for Farm Animal Biology (FBN)**

Wilhelm-Stahl-Allee 2, 18196 Dummerstorf  
Director: Prof. Dr. Klaus Wimmers  
T +49 38208-68 600  
E [wimmers@fbn-dummerstorf.de](mailto:wimmers@fbn-dummerstorf.de)

**Institute of Behavioural Physiology**

*Head* Prof. Dr. Birger Puppe  
T +49 38208-68 800  
E [puppe@fbn-dummerstorf.de](mailto:puppe@fbn-dummerstorf.de)  
*Project leader: Dr. Jan Langbein*  
T +49 38208-68 814  
E [langbein@fbn-dummerstorf.de](mailto:langbein@fbn-dummerstorf.de)

**Scientific Organisation:**

Dr. Norbert K. Borowy  
Wilhelm-Stahl-Allee 2, 18196 Dummerstorf  
T +49 38208-68 605  
E [borowy@fbn-dummerstorf.de](mailto:borowy@fbn-dummerstorf.de)  
[www.fbn-dummerstorf.de](http://www.fbn-dummerstorf.de)

**Friedrich-Loeffler-Institut (FLI)**

Institute of Animal Welfare and Animal Husbandry  
*Head* Prof. Dr. Lars Schrader  
T +49 5141 3846-101  
E [lars.schrader@fli.de](mailto:lars.schrader@fli.de)